

Appendix A: Flora species lists

| Family | Species |
|------------------|---|
| Flowering plants | |
| Aizoaceae | <i>Trianthema pilosum</i> |
| Aizoaceae | <i>Trianthema turgidifolium</i> * |
| Amaranthaceae | <i>Aerva javanica</i> ^ |
| Amaranthaceae | <i>Alternanthera angustifolia</i> * |
| Amaranthaceae | <i>Ptilotus arthrolasius</i> |
| Amaranthaceae | <i>Ptilotus astrolasius</i> * |
| Amaranthaceae | <i>Ptilotus calostachyus</i> |
| Amaranthaceae | <i>Ptilotus clementii</i> |
| Amaranthaceae | <i>Ptilotus fusiformis</i> |
| Amaranthaceae | <i>Ptilotus macrocephalus</i> * |
| Amaranthaceae | <i>Ptilotus obovatus</i> |
| Amaranthaceae | <i>Ptilotus schwartzii</i> * |
| Amaranthaceae | <i>Ptilotus sessilifolius</i> * |
| Apocynaceae | <i>Carissa spinarum</i> |
| Apocynaceae | <i>Cynanchum viminale</i> subsp. <i>australe</i> * |
| Asteraceae | <i>Calocephalus platycephalus</i> * |
| Asteraceae | <i>Calotis erinacea</i> |
| Asteraceae | <i>Calotis multicaulis</i> * |
| Asteraceae | <i>Calotis</i> sp. Carnarvon Range (D.J.Edinger & K.F.Kenneally D 2708 K 12243) |
| Asteraceae | <i>Centipeda racemosa</i> |
| Asteraceae | <i>Chrysocephalum apiculatum</i> subsp. <i>glandulosum</i> * |
| Asteraceae | <i>Chrysocephalum eremaeum</i> |
| Asteraceae | <i>Myriocephalus rudallii</i> * |
| Asteraceae | <i>Pluchea dunlopii</i> * |
| Asteraceae | <i>Pluchea ferdinandi-muelleri</i> * |
| Asteraceae | <i>Pluchea rubelliflora</i> * |
| Asteraceae | <i>Pluchea tetranthera</i> * |
| Asteraceae | <i>Pseudognaphalium luteoalbum</i> * |
| Asteraceae | <i>Pterocaulon serrulatum</i> var. <i>velutinum</i> |
| Asteraceae | <i>Pterocaulon sphacelatum</i> * |
| Asteraceae | <i>Streptoglossa bubakii</i> * |
| Asteraceae | <i>Streptoglossa decurrens</i> * |
| Asteraceae | <i>Streptoglossa liatroides</i> * |
| Asteraceae | <i>Streptoglossa macrocephala</i> |
| Asteraceae | <i>Streptoglossa odora</i> * |
| Boraginaceae | <i>Halgania cyanea</i> var. Allambi Stn (B.W.Strong 676) * |
| Boraginaceae | <i>Halgania erecta</i> * |
| Boraginaceae | <i>Halgania solanacea</i> var. Mt Doreen |
| Boraginaceae | <i>Heliotropium curassavicum</i> * |
| Boraginaceae | <i>Heliotropium glabellum</i> * |
| Boraginaceae | <i>Heliotropium glanduliferum</i> |
| Boraginaceae | <i>Heliotropium pachyphyllum</i> * |
| Boraginaceae | <i>Heliotropium tenuifolium</i> * |
| Boraginaceae | <i>Trichodesma zeylanicum</i> var. <i>zeylanicum</i> * |
| Brassicaceae | <i>Stenopetalum decipiens</i> * |
| Campanulaceae | <i>Isotoma petraea</i> * |
| Campanulaceae | <i>Wahlenbergia caryophylloides</i> * |
| Casuarinaceae | <i>Allocasuarina decaisneana</i> * |
| Celastraceae | <i>Macgregoria racemigera</i> |
| Celastraceae | <i>Stackhousia clementii</i> ~ |
| Celastraceae | <i>Stackhousia</i> sp. Lake Mackay (P.K.Latz 12870) |

Appendix A: Flora species lists

| Family | Species |
|------------------|--|
| Flowering plants | |
| Celastraceae | <i>Stackhousia</i> sp. Swollen gynophore (W.R.Barker 2041) |
| Chenopodiaceae | <i>Atriplex vesicaria</i> |
| Chenopodiaceae | <i>Dissocarpus paradoxus</i> |
| Chenopodiaceae | <i>Dysphania rhadinostachya</i> subsp. <i>rhadinostachya</i> * |
| Chenopodiaceae | <i>Einadia nutans</i> subsp. <i>eremaea</i> * |
| Chenopodiaceae | <i>Enchylaena tomentosa</i> |
| Chenopodiaceae | <i>Eremophea spinosa</i> * |
| Chenopodiaceae | <i>Maireana luehmannii</i> |
| Chenopodiaceae | <i>Maireana georgei</i> |
| Chenopodiaceae | <i>Neobassia astrocarpa</i> * |
| Chenopodiaceae | <i>Osteocarpum salsuginosum</i> |
| Chenopodiaceae | <i>Rhagodia spinescens</i> * |
| Chenopodiaceae | <i>Salsola australis</i> * |
| Chenopodiaceae | <i>Sclerolaena clelandii</i> * |
| Chenopodiaceae | <i>Sclerolaena cornishiana</i> |
| Chenopodiaceae | <i>Sclerolaena crenata</i> |
| Chenopodiaceae | <i>Sclerolaena cuneata</i> * |
| Chenopodiaceae | <i>Sclerolaena deserticola</i> |
| Chenopodiaceae | <i>Sclerolaena diacantha</i> * |
| Chenopodiaceae | <i>Sclerolaena fimbriolata</i> * |
| Chenopodiaceae | <i>Sclerolaena lanicuspis</i> |
| Chenopodiaceae | <i>Sclerolaena parviflora</i> * |
| Chenopodiaceae | <i>Sclerolaena symoniana</i> * |
| Chenopodiaceae | <i>Tecticornia calyptrata</i> |
| Chenopodiaceae | <i>Tecticornia halocnemoides</i> subsp. <i>longispicata</i> * |
| Chenopodiaceae | <i>Tecticornia indica</i> |
| Chenopodiaceae | <i>Tecticornia pergranulata</i> subsp. <i>elongata</i> |
| Chenopodiaceae | <i>Tecticornia tenuis</i> * |
| Chenopodiaceae | <i>Tecticornia undulata</i> * |
| Chenopodiaceae | <i>Tecticornia verrucosa</i> |
| Cleomaceae | <i>Cleome uncifera</i> subsp. <i>microphylla</i> * |
| Convolvulaceae | <i>Bonamia erecta</i> |
| Cucurbitaceae | <i>Cucumis argenteus</i> * |
| Cyperaceae | <i>Bulbostylis barbata</i> |
| Cyperaceae | <i>Cyperus blakeanus</i> |
| Cyperaceae | <i>Cyperus concinnus</i> |
| Cyperaceae | <i>Cyperus hamulosus</i> ? ^ |
| Cyperaceae | <i>Cyperus rigidellus</i> |
| Cyperaceae | <i>Fimbristylis caespitosa</i> * |
| Cyperaceae | <i>Fimbristylis eremophila</i> |
| Cyperaceae | <i>Schoenoplectiella dissachantha</i> * |
| Droseraceae | <i>Drosera finlaysoniana</i> * |
| Elatinaceae | <i>Bergia ammannioides</i> |
| Elatinaceae | <i>Bergia henshallii</i> * |
| Elatinaceae | <i>Bergia occultipetala</i> * |
| Elatinaceae | <i>Bergia perennis</i> |
| Elatinaceae | <i>Bergia trimera</i> * |
| Elatinaceae | <i>Elatine macrocalyx</i> * ~ |
| Euphorbiaceae | <i>Euphorbia albrechtii</i> |
| Euphorbiaceae | <i>Euphorbia australis</i> var. <i>hispidula</i> * |
| Euphorbiaceae | <i>Euphorbia australis</i> var. <i>subtomentosa</i> * |

Appendix A: Flora species lists

| Family | Species |
|------------------|--|
| Flowering plants | |
| Euphorbiaceae | <i>Euphorbia biconvexa</i> * |
| Euphorbiaceae | <i>Euphorbia tannensis</i> subsp. <i>eremophila</i> * |
| Euphorbiaceae | <i>Euphorbia wheeleri</i> * |
| Fabaceae | <i>Acacia adsurgens</i> * |
| Fabaceae | <i>Acacia ancistrocarpa</i> |
| Fabaceae | <i>Acacia aneura</i> * |
| Fabaceae | <i>Acacia aptaneura</i> |
| Fabaceae | <i>Acacia colei</i> * |
| Fabaceae | <i>Acacia cuthbertsonii</i> |
| Fabaceae | <i>Acacia</i> aff. <i>dictyophleba</i> |
| Fabaceae | <i>Acacia elachantha</i> |
| Fabaceae | <i>Acacia hilliana</i> |
| Fabaceae | <i>Acacia inaequilatera</i> |
| Fabaceae | <i>Acacia ligulata</i> |
| Fabaceae | <i>Acacia maitlandii</i> |
| Fabaceae | <i>Acacia melleodora</i> |
| Fabaceae | <i>Acacia monticola</i> |
| Fabaceae | <i>Acacia murrayana</i> * |
| Fabaceae | <i>Acacia pruinocarpa</i> |
| Fabaceae | <i>Acacia sericophylla</i> |
| Fabaceae | <i>Acacia sibirica</i> * |
| Fabaceae | <i>Acacia</i> n. sp. (DEA 14422) * |
| Fabaceae | <i>Acacia</i> sp. Lake Mackay (P.K.Latz 12836) |
| Fabaceae | <i>Acacia stipuligera</i> |
| Fabaceae | <i>Acacia tetragonophylla</i> |
| Fabaceae | <i>Acacia wiseana</i> |
| Fabaceae | <i>Aenictophyton reconditum</i> subsp. <i>reconditum</i> |
| Fabaceae | <i>Crotalaria cunninghamii</i> subsp. <i>cunninghamii</i> |
| Fabaceae | <i>Crotalaria cunninghamii</i> subsp. <i>sturtii</i> * |
| Fabaceae | <i>Crotalaria eremaea</i> subsp. <i>strehlowii</i> |
| Fabaceae | <i>Cullen cinereum</i> * |
| Fabaceae | <i>Cullen martinii</i> |
| Fabaceae | <i>Gompholobium polyzygum</i> * |
| Fabaceae | <i>Gompholobium simplicifolium</i> |
| Fabaceae | <i>Indigofera georgei</i> * |
| Fabaceae | <i>Indigofera linnaei</i> * |
| Fabaceae | <i>Isotropis winneckeii</i> * ~ |
| Fabaceae | <i>Leptosema chambersii</i> |
| Fabaceae | <i>Petalostylis cassioides</i> |
| Fabaceae | <i>Rothia indica</i> subsp. <i>australis</i> ~ |
| Fabaceae | <i>Senna artemisioides</i> subsp. <i>alicia</i> * |
| Fabaceae | <i>Senna artemisioides</i> subsp. <i>helmsii</i> |
| Fabaceae | <i>Senna artemisioides</i> Randell subsp. <i>oligophylla</i> |
| Fabaceae | <i>Senna artemisioides</i> subsp. x <i>coriacea</i> |
| Fabaceae | <i>Senna curvistyla</i> * |
| Fabaceae | <i>Senna glutinosa</i> subsp. <i>glutinosa</i> |
| Fabaceae | <i>Senna notabilis</i> |
| Fabaceae | <i>Senna sericea</i> |
| Fabaceae | <i>Senna symonii</i> * |
| Fabaceae | <i>Swainsona cyclocarpa</i> |
| Fabaceae | <i>Swainsona microphylla</i> |

Appendix A: Flora species lists

| Family | Species |
|-------------------|---|
| Flowering plants | |
| Fabaceae | <i>Swainsona tanamiensis</i> * |
| Fabaceae | <i>Tephrosia</i> sp. dunes (J.R. Maconochie 938) |
| Fabaceae | <i>Tephrosia rosea</i> ? var. <i>clementii</i> * |
| Fabaceae | <i>Tephrosia rosea</i> Benth. s. lat. (small cuneate leaflet form) * |
| Fabaceae | <i>Tephrosia rosea</i> Benth. s. lat. (small cuneate leaflet form; pale-flowered variant) |
| Fabaceae | <i>Tephrosia</i> sp. deserts (J.R.Maconochie 1403) |
| Fabaceae | <i>Tephrosia</i> sp. D Kimberley Flora (R.D.Royce 1848) |
| Fabaceae | <i>Tephrosia</i> sp. Willowra (G.M.Chippendale 4809) |
| Fabaceae | <i>Thinicola incana</i> |
| Frankeniaceae | <i>Frankenia cinerea</i> * |
| Frankeniaceae | <i>Frankenia cordata</i> |
| Gentianaceae | <i>Schenkia australis</i> * |
| Gentianaceae | <i>Schenkia clementii</i> * |
| Goodeniaceae | <i>Brunonia australis</i> * |
| Goodeniaceae | <i>Dampiera</i> ? <i>cinerea</i> |
| Goodeniaceae | <i>Dampiera atriplicina</i> ~ |
| Goodeniaceae | <i>Dampiera candicans</i> |
| Goodeniaceae | <i>Dampiera cinerea</i> |
| Goodeniaceae | <i>Dampiera dentata</i> * |
| Goodeniaceae | <i>Goodenia</i> ? <i>lamprosperma</i> * |
| Goodeniaceae | <i>Goodenia armitiana</i> * |
| Goodeniaceae | <i>Goodenia azurea</i> |
| Goodeniaceae | <i>Goodenia halophila</i> * |
| Goodeniaceae | <i>Goodenia maideniana</i> |
| Goodeniaceae | <i>Goodenia microptera</i> * |
| Goodeniaceae | <i>Goodenia modesta</i> ~ |
| Goodeniaceae | <i>Goodenia triodiophila</i> * |
| Goodeniaceae | <i>Goodenia virgata</i> |
| Goodeniaceae | <i>Lechenaultia lutescens</i> |
| Goodeniaceae | <i>Scaevola amblyanthera</i> var. <i>centralis</i> |
| Goodeniaceae | <i>Scaevola basedowii</i> * |
| Goodeniaceae | <i>Scaevola collaris</i> * |
| Goodeniaceae | <i>Scaevola parvifolia</i> subsp. <i>parvifolia</i> * |
| Goodeniaceae | <i>Velleia connata</i> |
| Goodeniaceae | <i>Velleia panduriformis</i> |
| Gyrostemonaceae | <i>Codonocarpus cotinifolius</i> |
| Gyrostemonaceae | <i>Gyrostemon ramulosus</i> * |
| Gyrostemonaceae | <i>Gyrostemon tepperi</i> |
| Haloragaceae | <i>Gonocarpus eremophilus</i> |
| Haloragaceae | <i>Haloragis gossei</i> var. <i>gossei</i> |
| Haloragaceae | <i>Myriophyllum verrucosum</i> |
| Hemerocallidaceae | <i>Corynotheca micrantha</i> var. <i>divaricata</i> * |
| Hemerocallidaceae | <i>Corynotheca micrantha</i> var. <i>gracilis</i> * |
| Juncaginaceae | <i>Triglochin hexagona</i> * |
| Juncaginaceae | <i>Triglochin nana</i> |
| Lamiaceae | <i>Clerodendrum floribundum</i> |
| Lamiaceae | <i>Dicrastylis beveridgei</i> * |
| Lamiaceae | <i>Dicrastylis doranii</i> |
| Lamiaceae | <i>Dicrastylis exsuccosa</i> |
| Lamiaceae | <i>Newcastelia cladotricha</i> |
| Lamiaceae | <i>Newcastelia</i> n. sp. [aff. <i>Bracteosa</i>] (DEA14286) * |

Appendix A: Flora species lists

| Family | Species |
|------------------|--|
| Flowering plants | |
| Lamiaceae | <i>Newcastelia spodiotricha</i> |
| Lamiaceae | <i>Prostanthera striatiflora</i> * |
| Lamiaceae | <i>Quoya loxocarpa</i> |
| Lauraceae | <i>Cassytha capillaris</i> * |
| Loganiaceae | <i>Orianthera centralis</i> * |
| Malvaceae | <i>Abutilon leucopetalum</i> |
| Malvaceae | <i>Abutilon otoparpum</i> |
| Malvaceae | <i>Alyogyne pinoniana</i> * |
| Malvaceae | <i>Androcalva loxophylla</i> |
| Malvaceae | <i>Corchorus sidoides</i> |
| Malvaceae | <i>Corchorus sidoides</i> subsp. <i>sidoides</i> |
| Malvaceae | <i>Corchorus walcottii</i> |
| Malvaceae | <i>Hibiscus burtonii</i> * |
| Malvaceae | <i>Hibiscus leptocladus</i> * |
| Malvaceae | <i>Hibiscus sturtii</i> var. <i>grandiflorus</i> * |
| Malvaceae | <i>Keraudrenia velutina</i> subsp. <i>elliptica</i> |
| Malvaceae | <i>Lawrencia glomerata</i> * |
| Malvaceae | <i>Lawrencia viridigrisea</i> |
| Malvaceae | <i>Sida arenicola</i> * |
| Malvaceae | <i>Sida cardiophylla</i> * |
| Malvaceae | <i>Sida cunninghamii</i> * |
| Malvaceae | <i>Sida echinocarpa</i> |
| Malvaceae | <i>Sida fibulifera</i> * |
| Malvaceae | <i>Sida rohlenae</i> subsp. <i>rohlenae</i> * |
| Malvaceae | <i>Sida</i> sp. <i>Excedentifolia</i> (J.L.Egan 1925) |
| Malvaceae | <i>Sida</i> sp. <i>Pindan</i> (B.G.Thomson 3398) |
| Malvaceae | <i>Sida</i> sp. <i>Rabbit Flat</i> (B.J.Carter 626) |
| Malvaceae | <i>Sida</i> sp. <i>Western Sand Dunes</i> (P.K.Latz 11980) |
| Malvaceae | <i>Triumfetta winneckeana</i> |
| Moraceae | <i>Ficus brachypoda</i> * |
| Myrtaceae | <i>Aluta maisonneuvei</i> subsp. <i>maisonneuvei</i> |
| Myrtaceae | <i>Calytrix carinata</i> |
| Myrtaceae | <i>Corymbia aparrerinja</i> |
| Myrtaceae | <i>Corymbia deserticola</i> subsp. <i>mesogeotica</i> |
| Myrtaceae | <i>Corymbia chippendalei</i> |
| Myrtaceae | <i>Corymbia opaca</i> * |
| Myrtaceae | <i>Eucalyptus camaldulensis</i> |
| Myrtaceae | <i>Eucalyptus gamophylla</i> |
| Myrtaceae | <i>Eucalyptus pachyphylla</i> |
| Myrtaceae | <i>Eucalyptus victrix</i> |
| Myrtaceae | <i>Lamarchea sulcata</i> |
| Myrtaceae | <i>Melaleuca glomerata</i> |
| Myrtaceae | <i>Melaleuca interioris</i> |
| Myrtaceae | <i>Melaleuca lasiandra</i> |
| Myrtaceae | <i>Micromyrtus flaviflora</i> |
| Phrymaceae | <i>Glossostigma diandrum</i> |
| Phrymaceae | <i>Peplidium aithocheilum</i> |
| Phrymaceae | <i>Peplidium</i> sp. <i>Tanami</i> (P.K.Latz 11904) |
| Phyllanthaceae | <i>Sauropus arenosus</i> * ~ |
| Plantaginaceae | <i>Stemodia florulenta</i> * |
| Plantaginaceae | <i>Stemodia</i> sp. <i>Tanami</i> (P.K.Latz 8218) |

Appendix A: Flora species lists

| Family | Species |
|------------------|--|
| Flowering plants | |
| Poaceae | <i>Amphipogon caricinus</i> * |
| Poaceae | <i>Amphipogon sericeus</i> * |
| Poaceae | <i>Aristida holathera</i> var. <i>holathera</i> |
| Poaceae | <i>Brachyachne prostrata</i> * |
| Poaceae | <i>Cenchrus biflorus</i> * ^ |
| Poaceae | <i>Cenchrus ciliaris</i> ^ |
| Poaceae | <i>Cenchrus echinatus</i> ^ |
| Poaceae | <i>Dactyloctenium radulans</i> |
| Poaceae | <i>Eragrostis dielsii</i> |
| Poaceae | <i>Eragrostis eriopoda</i> subsp. Sandy fireweed (P.K. Latz 12908) |
| Poaceae | <i>Eragrostis falcata</i> |
| Poaceae | <i>Eragrostis laniflora</i> * |
| Poaceae | <i>Eragrostis olida</i> |
| Poaceae | <i>Eragrostis setifolia</i> * |
| Poaceae | <i>Eragrostis</i> sp. Limestone (P.K.Latz 5921) |
| Poaceae | <i>Eragrostis speciosa</i> * |
| Poaceae | <i>Eriachne aristidea</i> * |
| Poaceae | <i>Eriachne lanata</i> * |
| Poaceae | <i>Eriachne mucronata</i> * |
| Poaceae | <i>Iseilema dolichotrichum</i> |
| Poaceae | <i>Paractaenum refractum</i> * |
| Poaceae | <i>Paraneurachne muelleri</i> * |
| Poaceae | <i>Paspalidium basicladum</i> * |
| Poaceae | <i>Paspalidium reflexum</i> * |
| Poaceae | <i>Sporobolus actinocladus</i> * |
| Poaceae | <i>Triodia basedowii</i> |
| Poaceae | <i>Triodia epactia</i> |
| Poaceae | <i>Triodia latzii</i> * |
| Poaceae | <i>Triodia pungens</i> * |
| Poaceae | <i>Triodia salina</i> * |
| Poaceae | <i>Triodia schinzii</i> |
| Poaceae | <i>Triodia spicata</i> * |
| Poaceae | <i>Triodia n. sp. aff. angusta (DEA14502)</i> * |
| Portulacaceae | <i>Calandrinia ?reticulata</i> |
| Portulacaceae | <i>Calandrinia balonensis</i> * |
| Portulacaceae | <i>Calandrinia pleiopetala</i> |
| Portulacaceae | <i>Calandrinia reticulata</i> * |
| Proteaceae | <i>Grevillea eriostachya</i> |
| Proteaceae | <i>Grevillea stenobotrya</i> |
| Proteaceae | <i>Grevillea wickhamii</i> subsp. <i>aprica</i> |
| Proteaceae | <i>Hakea chordophylla</i> * |
| Proteaceae | <i>Hakea divaricata</i> |
| Proteaceae | <i>Hakea leucoptera</i> subsp. <i>sericipes</i> * |
| Proteaceae | <i>Hakea lorea</i> subsp. <i>lorea</i> |
| Proteaceae | <i>Hakea macrocarpa</i> |
| Rubiaceae | <i>Oldenlandia pterospora</i> * |
| Rubiaceae | <i>Psydrax latifolia</i> * |
| Rubiaceae | <i>Synaptantha tillaeacea</i> |
| Santalaceae | <i>Anthobolus leptomerioides</i> |
| Santalaceae | <i>Exocarpos sparteus</i> * |
| Santalaceae | <i>Santalum lanceolatum</i> * |

Appendix A: Flora species lists

| Family | Species |
|------------------|---|
| Flowering plants | |
| Sapindaceae | <i>Dodonaea coriacea</i> * |
| Sapindaceae | <i>Dodonaea viscosa</i> subsp. <i>angustissima</i> * |
| Sapindaceae | <i>Dodonaea viscosa</i> subsp. <i>mucronata</i> * |
| Scrophulariaceae | <i>Eremophila duttonii</i> |
| Scrophulariaceae | <i>Eremophila forrestii</i> subsp. <i>forrestii</i> |
| Scrophulariaceae | <i>Eremophila glabra</i> subsp. <i>glabra</i> * |
| Scrophulariaceae | <i>Eremophila latrobei</i> subsp. <i>latrobei</i> * |
| Scrophulariaceae | <i>Eremophila maculata</i> subsp. <i>maculata</i> * |
| Scrophulariaceae | <i>Eremophila pallida</i> * ~ |
| Scrophulariaceae | <i>Eremophila platythamnos</i> subsp. <i>exotrachys</i> * |
| Scrophulariaceae | <i>Eremophila tietkensis</i> |
| Scrophulariaceae | <i>Eremophila willsii</i> subsp. <i>integrifolia</i> * |
| Solanaceae | <i>Duboisia hopwoodii</i> |
| Solanaceae | <i>Nicotiana benthamiana</i> |
| Solanaceae | <i>Solanum centrale</i> * |
| Solanaceae | <i>Solanum chippendalei</i> |
| Solanaceae | <i>Solanum cleistogamum</i> * |
| Solanaceae | <i>Solanum gilesii</i> |
| Stylidiaceae | <i>Stylidium desertorum</i> |
| Stylidiaceae | <i>Stylidium inaequipetalum</i> * |
| Surianaceae | <i>Stylobasium spathulatum</i> |
| Violaceae | <i>Hybanthus aurantiacus</i> * |
| Zygophyllaceae | <i>Zygophyllum compressum</i> |
| Ferns | |
| Marsileaceae | <i>Marsilea hirsuta</i> * |
| Liverworts | |
| Ricciaceae | <i>Riccia crinita</i> * |
| Ricciaceae | <i>Riccia inflexa</i> * |
| Ricciaceae | <i>Riccia cavernosa</i> * |
| Ricciaceae | <i>Riccia billardieri</i> * |

KEY

Putative new species

* New record for this reserve

^ Exotic or pest species

~ Listed under the Wildlife Conservation Act 1950 (Western Australia)