



BushBlitz

SPECIES DISCOVERY PROGRAM



BUSH BLITZ SPECIES DISCOVERY PROGRAM



Seventeen Mile Plain Reserve Supplement



CARING FOR
OUR COUNTRY



Contents

Appendix A: Species Lists	3
Fauna	4
Vertebrates	4
Birds	4
Frogs	5
Mammals	5
Reptiles	6
Invertebrates	7
Butterflies and Moths	7
Beetles	7
Thrips	8
True Bugs	8
Grasshoppers	9
Preying Mantises	9
Dragonflies	9
Millipedes	9
Spiders	10
Crustaceans	10
Snails and Slugs	10
Flora	11
Flowering Plants	11
Ferns and Fern Allies	12
Liverworts	13
Mosses	13
Appendix B: Rare and Threatened Species	15
Appendix C: Exotic and Pest Species	17

Key

- ☒ = Previously recorded on the reserve and found on this survey
- * = New record for this reserve
- ^ = Exotic/Pest
- # = EPBC listed
- ~ = TSP listed

Putative new species

Previously recorded on the reserve but not found on this survey

EPBC = *Environment Protection and Biodiversity Conservation Act 1999* (Commonwealth)

TSP = *Threatened Species Protection Act 1995* (Tasmania)





Appendix A: Species Lists

Nomenclature and taxonomy used in this appendix are consistent with that from the Australian Faunal Directory (AFD), the Australian Plant Name Index (APNI) and the Australian Plant Census (APC).

Current at April 2012



Fauna

Vertebrates

Birds		
Family	Species	Common name
Acanthizidae	<i>Acanthiza ewingii</i> *	Tasmanian Thornbill
	<i>Calamanthus fuliginosus</i> *	Striated Fieldwren
	<i>Sericornis frontalis</i> *	White-browed Scrubwren
	<i>Sericornis humilis</i> *	Tasmanian Scrubwren
Accipitridae	<i>Aquila audax</i> # ~	Wedge-tailed Eagle
	<i>Circus approximans</i> *	Swamp Harrier
Alaudidae	<i>Alauda arvensis</i> *	Eurasian Skylark
Ardeidae	<i>Egretta novaehollandiae</i> *	White-faced Heron
Artamidae	<i>Artamus cyanopterus</i> *	Dusky Woodswallow
	<i>Cracticus torquatus</i> *	Grey Butcherbird
Cacatuidae	<i>Calyptorhynchus funereus</i> *	Yellow-tailed Black-cockatoo
Campephagidae	<i>Coracina novaehollandiae</i> *	Black-faced Cuckoo-shrike
Charadriidae	<i>Vanellus miles</i> *	Masked Lapwing
Columbidae	<i>Phaps chalcoptera</i> *	Common Bronzewing
Corvidae	<i>Corvus tasmanicus</i> *	Forest Raven
Cuculidae	<i>Cacomantis flabelliformis</i> *	Fan-tailed Cuckoo
Estrildidae	<i>Stagonopleura bella</i> *	Beautiful Firetail
Falconidae	<i>Falco berigora</i> *	Brown Falcon
Fringillidae	<i>Carduelis carduelis</i> * ^	European Goldfinch
Halcyonidae	<i>Dacelo novaeguineae</i> *	Laughing Kookaburra
Hirundinidae	<i>Petrochelidon nigricans</i> *	Tree Martin
Maluridae	<i>Malurus cyaneus</i> *	Superb Fairy-wren
	<i>Stipiturus malachurus</i> *	Southern Emu-wren
Meliphagidae	<i>Acanthorhynchus tenuirostris</i> *	Eastern Spinebill
	<i>Glycichaera fallax</i> *	Green-backed Honeyeater
	<i>Lichenostomus flavicollis</i> *	Yellow-throated Honeyeater
	<i>Melithreptus validirostris</i> *	Strong-billed Honeyeater
	<i>Phylidonyris novaehollandiae</i> *	New Holland Honeyeater
	<i>Phylidonyris pyrrhoptera</i> *	Crescent Honeyeater
Monarchidae	<i>Myiagra cyanoleuca</i> *	Satin Flycatcher
Pachycephalidae	<i>Colluricincla harmonica</i> *	Grey Shrike-thrush
Pardalotidae	<i>Pardalotus striatus</i> *	Striated pardalote





Birds		
Family	Species	Common name
Petroicidae	<i>Petroica rodinogaster</i> *	Pink Robin
Psittacidae	<i>Pezoporus wallicus</i> *	Ground Parrot
	<i>Platycercus caledonicus</i> *	Green Rosella
Rallidae	<i>Tribonyx mortierii</i> *	Tasmanian Native-hen
Rhipiduridae	<i>Rhipidura fuliginosa</i> *	New Zealand Fantail
Strigidae	<i>Ninox novaseelandiae</i> *	Boobook
Timaliidae	<i>Zosterops lateralis</i> *	Silvereye
Turdidae	<i>Turdus merula</i> * ^	Common Blackbird
	<i>Zoothera lunulata</i> *	Bassian Thrush

Frogs		
Family	Species	Common name
Hylidae	<i>Litoria ewingii</i> *	Brown Tree Frog
Myobatrachidae	<i>Crinia signifera</i> *	Common Froglet
	<i>Geocrinia laevis</i> *	Smooth Frog

Mammals		
Family	Species	Common name
Dasyuridae	<i>Antechinus minimus</i> *	Swamp Antechinus
	<i>Dasyurus maculatus</i> # ~	Spotted-tailed Quoll
	<i>Sarcophilus harrisii</i> # ~	Tasmanian Devil
Leporidae	<i>Oryctolagus cuniculus</i> * ^	Rabbit
Macropodidae	<i>Macropus rufogriseus</i> *	Red-necked Wallaby
Muridae	<i>Rattus lutreolus</i> *	Swamp Rat
Peramelidae	<i>Isoodon obesulus</i> * #	Southern Brown Bandicoot
Potoroidae	<i>Potorous tridactylus</i> *	Long-nosed Potoroo
Pseudocheiridae	<i>Pseudocheirus peregrinus</i> *	Common Ringtail Possum
Tachyglossidae	<i>Tachyglossus aculeatus</i> *	Short-beaked Echidna
Vespertilionidae	<i>Chalinolobus gouldii</i> *	Gould's Wattled Bat
	<i>Chalinolobus morio</i> *	Chocolate Wattled Bat
	<i>Nyctophilus geoffroyi</i> *	Lesser Long-eared Bat
	<i>Nyctophilus</i> sp. *	–
	<i>Vespadelus regulus</i> *	Southern Forest Bat
	<i>Vespadelus</i> sp. *	–
Vombatidae	<i>Vombatus ursinus</i> *	Bare-nosed Wombat



Reptiles		
Family	Species	Common name
Scincidae	<i>Liopholis whitii</i> *	White's Skink
	<i>Niveoscincus pretiosus</i> *	Agile Cool-skink, Tasmanian Tree Skink





Invertebrates

Butterflies and Moths		Butterflies and Moths	
Family	Species	Family	Species
Geometridae	<i>Amelora leucaniata</i> *	Geometridae	<i>Epicyme rubropunctaria</i> *
	<i>Amelora nebulosa</i> *		<i>Epyaxa epia</i> *
	<i>Amelora sparsularia</i> *		<i>Epyaxa subidaria</i> *
	<i>Androchela newmannaria</i> *		<i>Euphronarcha epiphloea</i> *
	<i>Aponotoreas epicrossa</i> *		' <i>Metrocampa</i> ' <i>ada</i> *
	<i>Bradyctena trychnoptila</i> *		<i>Microdes</i> sp. *
	<i>Capusa senilis</i> *		<i>Microdes squamulata</i> *
	<i>Casbia farinalis</i> *		<i>Microdes villosata</i> *
	<i>Casbia melanops</i> *		<i>Nearcha nullata</i> *
	<i>Chaetolopha leucophragma</i> *		<i>Oenochroma</i> sp. *
	<i>Chlorocoma cadmaria</i> *		<i>Psilosticha mactaria</i> *
	<i>Chlorocoma carenaria</i> *		<i>Psilosticha pristis</i> *
	<i>Chlorocoma melocrossa</i> *		<i>Rhynchopsota delogramma</i> *
	<i>Chlorocoma tetraspila</i> *		<i>Scioglyptis lyciaria</i> *
	<i>Chlorodes boisduvalaria</i> *		<i>Scopula optivata</i> *
	<i>Chrysolarentia severata</i> *		<i>Scopula rubraria</i> *
	<i>Crypsiphona tasmanica</i> *		<i>Syneora cheleuta</i> *
	<i>Dichromodes</i> sp. 2 *		<i>Syneora mundifera</i> *
	<i>Dichromodes</i> sp. 3 *		Nymphalidae
	<i>Dichromodes stilbiata</i> *		<i>Heteronympha merope</i> *
<i>Ectropis excursaria</i> *	<i>Heteronympha penelope</i> *		
<i>Ectropis fractaria</i> *	<i>Vanessa itea</i> *		
	Papilionidae		
	<i>Graphium macleayanus</i> *		

Beetles	
Family	Species
Chrysomelidae	<i>Paropsisterna agricola</i> *
	<i>Paropsisterna bimaculata</i> *
	<i>Paropsisterna decolorata</i> *
	<i>Paropsisterna lignea</i> *



Thrips	
Family	Species
Phlaeothripidae	<i>Baenothrips moundi</i> *
	<i>Carientothrips badius</i> *
	<i>Carientothrips</i> sp. *
	<i>Cartomothrips</i> sp. *
	<i>Hoplandrothrips</i> sp. *
	<i>Hoplothrips</i> sp. *
	<i>Idolothrips spectrum</i> *
	<i>Lasiothrips</i> sp. *

Thrips	
Family	Species
Phlaeothripidae	<i>Nesothrips</i> sp. *
	<i>Phaulothrips</i> sp. *
	Phlaeothripidae sp. *
	<i>Sophiothrips</i> sp. *
Thripidae	<i>Pseudanaphothrips achaetus</i> *
	<i>Pseudanaphothrips</i> sp. *
	<i>Thrips imaginis</i> *

True Bugs	
Family	Species
Acanthosomatidae	<i>Duadicus pallidus</i> *
	<i>Eupolemus tasmanicus</i> *
	nr <i>Stauralia</i> sp. 1 *
	nr <i>Stauralia</i> sp. 2 *
Artheneidae	<i>Dilompus robustus</i> *
Cydnidae	nr <i>Adrisa</i> sp. 1 *
	nr <i>Adrisa</i> sp. 2 *
	<i>Ontiscus</i> sp. 2 *
Miridae	<i>Coridromius monotocopsis</i> *
	Miridid gen. et n. sp. *
	Orthotylinid gen. et n. sp. nov. 1 *
	Orthotylinid gen. et n. sp. nov. 2 *
	Zanchinid gen. et n. sp. *

True Bugs	
Family	Species
Nabidae	<i>Nabis biformis/fraternus</i> *
Pentatomidae	<i>Cuspicona stenuella</i> *
	<i>Diaphyta</i> sp. *
	<i>Omyta centrolineata</i> *
	<i>Platycoris rugosus</i> *
Reduviidae	Emesinae sp. *
Rhyparochromidae	nr <i>Aristaenetus</i> sp. *
	Rhyparochromid gen. et n. sp. 1 *
Tingidae	<i>Epimixia veteris</i> *
	<i>Eritingis</i> sp. *
	Tingis n. sp. nov. 1 *
	Tingis n. sp. nov. 2 *





Grasshoppers	
Family	Species
Acrididae	<i>Minyacris nana</i> *
	<i>Phaulacridium vittatum</i> *
	<i>Tasmaniacris tasmaniensis</i> *
Gryllacrididae	<i>Kinemanina ambulans</i> *
	<i>Kinemanina</i> sp. *

Grasshoppers	
Family	Species
Pyrgomorphidae	<i>Pseudnura pedestris</i> *
Rhaphidophoridae	<i>Parvotettix goedei</i> *
Tettigoniidae	<i>Anelytra lateralis</i> *
Trigonidiidae	<i>Bobilla</i> sp. *
	<i>Trigonidium canberra</i> *

Preying Mantises	
Family	Species
Mantidae	<i>Tenodera australasiae</i> *

Dragonflies	
Family	Species
Hemicorduliidae	<i>Hemicordulia australiae</i> *
	<i>Hemicordulia tau</i> *
Hemiphlebiidae	<i>Hemiphlebia mirabilis</i> *
Lestidae	<i>Austrolestes analis</i> *
	<i>Austrolestes psyche</i> *

Millipedes	
Family	Species
Dalodesmidae	<i>Gasterogramma psi</i> *
	<i>Tasmaniosoma compitale</i> *
Metopidiotrichidae	<i>Australeuma jeekeli</i> *
Paradoxosomatidae	<i>Somethus mesibovi</i> *
Siphonotidae	<i>Polyzoniid n. sp. HetAus</i> *
Unplaced	<i>Procophorella innupta</i> *



Spiders	
Family	Species
Amaurobiidae	<i>Tasmidgee</i> n. genus, unid. sp. *
Amphinectidae	Amphinectidae unid. genus, sp. *
	<i>Tasmarubrius</i> unid. sp. *
	<i>Teatta</i> unid. sp. *
Cycloctenidae	<i>Cycloctenus</i> sp. 1 *
Desidae	<i>Neodesis</i> n. genus, n. sp. *
Gnaphosidae	Gnaphosidae unid. sp. *
Hexathelidae	<i>Hadronyche venenata</i> *
	<i>Teranodes</i> (sp.1?) *
	<i>Teranodes</i> n. sp. (?) *
Linyphiidae	Linyphiidae unid sp. *
Lycosidae	<i>Artoria albopilata</i> *
	<i>Artoria</i> n. sp. (<i>Artoria cingulipes</i> group) *
	<i>Artoria</i> sp. *

Spiders	
Family	Species
Lycosidae	<i>Venatrix pseudospeciosa</i> *
	<i>Venatrix</i> unid. sp. (<i>pseudospeciosa</i> ?) *
Micropholcommatidae	<i>Micropholcomma</i> unid. sp. *
Migidae	<i>Migas</i> sp. 2 *
	<i>Migas</i> unid. sp. (n. sp ?) *
Miturgidae	Miturgidae n. genus, n. sp. 1 *
Nemesiidae	<i>Stanwellia</i> n. sp. *
	<i>Stanwellia</i> sp. *
Nicodamidae	<i>Ambicodamus crinitus</i> *
Salticidae	Salticidae unid. sp. *
Thomisidae	<i>Sidymella</i> sp. 1 *
Zodariidae	<i>Habronestes</i> unid. (sp. 1?) *
	<i>Habronestes</i> unid. sp. (17?) *

Crustaceans	
Family	Species
Parastacidae	<i>Geocharax gracilis</i> *
Talitridae	<i>Tasmanorchestia annulata</i> *

Snails and Slugs	
Family	Species
Arionidae	<i>Arion intermedius</i> * ^
Charopidae	<i>Allocharopa tarravillensis</i> *
	<i>Discocharopa mimosa</i> *
	<i>Discocharopa</i> n. sp. "Mimic" *
	<i>Oreomava johnstoni</i> *
	<i>Pernagera kingstonensis</i> *
	<i>Planilaoma luckmanii</i> *
	<i>Roblinella gadensis</i> *
	<i>Stenacapha ducani</i>
<i>Thryasona diemenensis</i> *	

Snails and Slugs	
Family	Species
Helicarionidae	<i>Helicarion</i> sp. cf. <i>cuvieri</i> *
Punctidae	<i>Laomavix collisi</i> *
	<i>Magilaoma penolensis</i> *
	<i>Paralaoma caputspinulae</i> *
	<i>Paralaoma</i> sp. "Knocklofty" *
	<i>Pedicamista</i> sp. "Chisholm" *
	<i>Trocholaoma parvissima</i> *
Rhytididae	<i>Prolesophanta dyeri</i> *
	<i>Tasmaphena lamproides</i> * ~
	<i>Victaphanta milligani</i> *





Flora

Flowering Plants	
Family	Species
Apiaceae	<i>Hydrocotyle hirta</i> *
Asteraceae	<i>Bedfordia salicina</i> *
	<i>Centaurea melitensis</i> * ^
	<i>Centipeda elatinoides</i> *
	<i>Cirsium arvense</i> * ^
	<i>Cirsium vulgare</i> * ^
	<i>Helichrysum luteoalbum</i> *
	<i>Hypochaeris radicata</i> * ^
	<i>Olearia argophylla</i> *
Atherospermataceae	<i>Atherosperma moschatum</i> *
Caprifoliaceae	<i>Sambucus gaudichaudiana</i> *
Casuarinaceae	<i>Allocasuarina monilifera</i> *
Centrolepidaceae	<i>Centrolepis aristata</i> *
	<i>Centrolepis strigosa</i> *
Cunoniaceae	<i>Bauera rubioides</i> *
Cyperaceae	<i>Baumea tetragona</i> *
	<i>Gahnia grandis</i> *
	<i>Gymnoschoenus sphaerocephalus</i> *
	<i>Isolepis limbata</i> *
	<i>Lepidosperma concavum</i> *
	<i>Lepidosperma elatius</i> *
	<i>Lepidosperma filiforme</i> *
	<i>Schoenus lepidosperma</i> subsp. <i>lepidosperma</i> *
	<i>Schoenus maschalinus</i> *
	<i>Uncinia riparia</i> *
	<i>Uncinia tenella</i> *
Dilleniaceae	<i>Hibbertia procumbens</i> *
Droseraceae	<i>Drosera auriculata</i>
	<i>Drosera pygmaea</i> *

Flowering Plants	
Family	Species
Ericaceae	<i>Astroloma pinifolium</i> *
	<i>Epacris lanuginosa</i> *
	<i>Epacris obtusifolia</i>
	<i>Erica lusitanica</i> * ^
	<i>Leucopogon australis</i>
	<i>Leucopogon collinus</i> *
	<i>Monotoca glauca</i> *
	<i>Monotoca submutica</i> var. <i>submutica</i> *
	<i>Sprengelia incarnata</i> *
Fabaceae	<i>Acacia melanoxylon</i> *
	<i>Acacia mucronata</i> *
	<i>Acacia verticillata</i> *
	<i>Dillwynia glaberrima</i> *
	<i>Gompholobium huegelii</i> *
	<i>Pultenaea dentata</i> *
Gentianaceae	<i>Centaurium erythraea</i> * ^
Hemerocallidaceae	<i>Dianella tasmanica</i> *
Iridaceae	<i>Patersonia fragilis</i> *
Juncaceae	<i>Juncus bassianus</i> *
	<i>Juncus planifolius</i> *
	<i>Juncus procerus</i> *
Lauraceae	<i>Cassytha pubescens</i> *
Lentibulariaceae	<i>Utricularia dichotoma</i>
	<i>Utricularia lateriflora</i> *
Loganiaceae	<i>Mitrasacme pilosa</i> *
Luzuriagaceae	<i>Drymophila cyanocarpa</i> *
Myrtaceae	<i>Eucalyptus nitida</i> *
	<i>Eucalyptus obliqua</i> *
	<i>Leptospermum glaucescens</i> *
	<i>Leptospermum lanigerum</i> *
	<i>Leptospermum scoparium</i> *
	<i>Melaleuca ericifolia</i> *
	<i>Melaleuca squamea</i> *



Flowering Plants	
Family	Species
Orchidaceae	<i>Corybas diemenicus</i>
	<i>Eriochilus cucullatus</i> *
	<i>Sarcochilus australis</i> *
Oxalidaceae	<i>Oxalis corniculata</i> * ^
	<i>Oxalis radicata</i> *
Phrymaceae	<i>Mazus pumilio</i> *
Poaceae	<i>Agrostis</i> sp. *
	<i>Austrodanthonia pilosa</i> *
	<i>Lachnagrostis filiformis</i> *
	<i>Vulpia bromoides</i> * ^
Proteaceae	<i>Banksia marginata</i> *
	<i>Cenarrhenes nitida</i> *
	<i>Persoonia juniperina</i> *
Restionaceae	<i>Empodisma minus</i> *
	<i>Eurychorda complanata</i> *
	<i>Leptocarpus tenax</i> *
	<i>Sporadanthus tasmanicus</i> *

Flowering Plants	
Family	Species
Rosaceae	<i>Acaena novae-zelandiae</i> *
	<i>Rubus</i> sp. * ^
Rutaceae	<i>Boronia parviflora</i> *
	<i>Zieria arborescens</i> subsp. <i>arborescens</i> *
Solanaceae	<i>Solanum laciniatum</i> *
Stylidiaceae	<i>Stylidium graminifolium</i> *
Thymelaeaceae	<i>Pimelea drupacea</i> *
	<i>Pimelea ligustrina</i> *
Urticaceae	<i>Australina pusilla</i> subsp. <i>pusilla</i> *
	<i>Urtica incisa</i> *
Xyridaceae	<i>Xyris marginata</i> *
	<i>Xyris operculata</i> *
	<i>Xyris tasmanica</i> *

Ferns and Fern Allies	
Family	Species
Aspleniaceae	<i>Asplenium flaccidum</i> subsp. <i>flaccidum</i> *
Blechnaceae	<i>Blechnum pennamarina</i> *
	<i>Blechnum watsii</i> *
Dennstaedtiaceae	<i>Histiopteris incisa</i> *
	<i>Hypolepis rugosula</i> *
	<i>Pteridium esculentum</i> *
Dicksoniaceae	<i>Dicksonia antarctica</i> *
Dryopteridaceae	<i>Lastreopsis hispida</i> *
	<i>Polystichum proliferum</i> *
	<i>Rumohra adiantiformis</i> *
Gleicheniaceae	<i>Gleichenia dicarpa</i> *
	<i>Gleichenia microphylla</i> *

Ferns and Fern Allies	
Family	Species
Hymenophyllaceae	<i>Hymenophyllum australe</i> *
	<i>Hymenophyllum cupressiforme</i> *
	<i>Hymenophyllum flabellatum</i> *
	<i>Hymenophyllum rarum</i> *
Lycopodiaceae	<i>Lycopodium deuterodensum</i> *
Polypodiaceae	<i>Ctenopteris heterophylla</i> *
	<i>Grammitis billardierei</i> *
	<i>Microsorium pustulatum</i> subsp. <i>pustulatum</i> *
Psilotaceae	<i>Tmesipteris obliqua</i> *
Pteridaceae	<i>Pellaea falcata</i> *
	<i>Pteris tremula</i> *
Schizaeaceae	<i>Schizaea fistulosa</i> *
Selaginellaceae	<i>Selaginella uliginosa</i> *
Woodsiaceae	<i>Diplazium australe</i> *





Liverworts	
Family	Species
Acrobolbaceae	<i>Tylimanthus tenellus</i> *
Aneuraceae	<i>Riccardia</i> sp. *
Frullaniaceae	<i>Frullania</i> sp. *
Hymenophytaceae	<i>Hymenophyton flabellatum</i> *
Lejeuneaceae	<i>Lejeunea drummondii</i> *
	<i>Lejeunea</i> sp. *
Lepidolaenaceae	<i>Bazzania adnexa</i> *
	<i>Gackstroemia weindorferi</i> *

Liverworts	
Family	Species
Lophocoleaceae	<i>Chiloscyphus semiteres</i> var. <i>semiteres</i> *
	<i>Cyanolophocolea echinella</i> *
Lunulariaceae	<i>Lunularia cruciata</i> *
Marchantiaceae	<i>Marchantia berteriana</i> *
Metzgeriaceae	<i>Metzgeria</i> sp. *
Plagiochilaceae	<i>Plagiochila fasciculata</i> *
Radulaceae	<i>Radula buccinifera</i> *
Schistochilaceae	<i>Schistochila lehmanniana</i> *
Trichocoleaceae	<i>Trichocolea mollissima</i> *

Mosses	
Family	Species
Bartramiaceae	<i>Breutelia pendula</i> *
Brachytheciaceae	<i>Eurhynchium praelongum</i> *
Bryaceae	<i>Rosulabryum billardieri</i> *
Dicranaceae	<i>Dicranoloma billardieri</i> *
	<i>Dicranoloma dicarpum</i> *
	<i>Dicranoloma menziesii</i> *
Ditrichaceae	<i>Ceratodon purpureus</i> *
Echinodiaceae	<i>Echinodium hispidum</i> *
Fissidentaceae	<i>Fissidens</i> sp. (<i>leptocladus</i> ?) *
	<i>Fissidens leptocladus</i> *
Funariaceae	<i>Funaria hygrometrica</i> *
Hookeriaceae	<i>Achrophyllum dentatum</i> *
Hypnaceae	<i>Austrohondaella limata</i> *
	<i>Hypnum cupressiforme</i> *
	<i>Hypnum cupressiforme</i> var. <i>mossmanianum</i> *
Hypnodendraceae	<i>Mniodendron comosum</i> *

Mosses	
Family	Species
Hypopterygiaceae	<i>Cyathophorum bulbosum</i> *
	<i>Hypopterygium didicyton</i> *
	<i>Lopidium concinnum</i> *
Lembophyllaceae	<i>Camptochaete arbuscula</i> var. <i>arbuscula</i> *
	<i>Camptochaete deflexa</i> *
	<i>Weymouthia cochlearifolia</i> *
	<i>Weymouthia mollis</i> *
Leptostomataceae	<i>Leptostomum inclinans</i> *
Leucobryaceae	<i>Campylopus acuminatus</i> var. <i>kirkii</i> *
	<i>Campylopus bicolor</i> *
	<i>Campylopus introflexus</i> *
	<i>Campylopus torquatus</i> *
	<i>Leucobryum candidum</i> *
Meteoriaceae	<i>Papillaria flexicaulis</i> *
Neckeraceae	<i>Thamnobryum pumilum</i> *
Orthodontiaceae	<i>Orthodontium lineare</i> *



Mosses	
Family	Species
Orthotrichaceae	<i>Macromitrium archeri</i> *
	<i>Zygodon intermedius</i> *
Polytrichaceae	<i>Atrichum androgynum</i> *
	<i>Polytrichum juniperinum</i> *
Pottiaceae	unid. genus (<i>Barbula</i> sp. ?) *
	<i>Tortella knightii</i> *
Ptychomniaceae	<i>Ptychomnion aciculare</i> *
Pylaisiadelphaceae	<i>Wijkia extenuata</i> *
Racopilaceae	<i>Racopilum cuspidigerum</i> var. <i>convolutaceum</i> *

Mosses	
Family	Species
Rhizogoniaceae	<i>Goniobryum subbasilare</i> *
	<i>Hymenodon pilifer</i> *
	<i>Leptotheca gaudichaudii</i> *
	<i>Rhizogonium distichum</i> *
Sphagnaceae	<i>Rhizogonium novae-hollandiae</i> *
	<i>Sphagnum australe</i> *
Thuidiaceae	<i>Sphagnum novo-zelandicum</i> *
	<i>Thuidiopsis furfurosa</i> *





Appendix B: Rare and Threatened Species

Nomenclature and taxonomy
used in this appendix are
consistent with that from the
Australian Faunal Directory (AFD).

Current at April 2012




Fauna

Species	Common name	Status
<i>Aquila audax</i>	Wedge-tailed Eagle	EPBC — Endangered, TSP — Endangered
<i>Dasyurus maculatus</i>	Spotted-tailed quoll	EPBC — Vulnerable, TSP — Rare
<i>Isoodon obesulus</i> *	Southern Brown Bandicoot	EPBC — Endangered
<i>Sarcophilus harrisii</i>	Tasmanian Devil	EPBC — Endangered, TSP — Endangered
<i>Tasmaphena lamproides</i> *	Keeled Snail	TSP — Rare

EPBC = *Environment Protection and Biodiversity Conservation Act 1999* (Commonwealth)

TSP = *Threatened Species Protection Act 1995* (Tasmania)

* = New record for this reserve





Appendix C: Exotic and Pest Species

Nomenclature and taxonomy used in this appendix are consistent with that from the Australian Faunal Directory (AFD), the Australian Plant Name Index (APNI) and the Australian Plant Census (APC).

Current at April 2012



Fauna

Species	Common name
<i>Arion intermedius</i> *	Hedgehog Slug
<i>Carduelis carduelis</i> *	European Goldfinch
<i>Oryctolagus cuniculus</i> *	Rabbit
<i>Turdus merula</i> *	Common Blackbird

* = New record for this reserve

Flora

Species	Common Name
<i>Centaurea melitensis</i> *	Malta Thistle
<i>Centaureum erythraea</i> *	Common Centaury
<i>Cirsium arvense</i> *	Californian Thistle
<i>Cirsium vulgare</i> *	Black Thistle
<i>Erica lusitanica</i> *	Heath
<i>Hypochaeris radicata</i> *	–
<i>Oxalis corniculata</i> *	Sikup Dada
<i>Rubus</i> sp. *	Blackberry
<i>Vulpia bromoides</i> *	Hair Grass

* = New record for this reserve





© Commonwealth of Australia 2012

This work is copyright. Apart from any use as permitted under the *Copyright Act 1968*, no part may be reproduced by any process without prior written permission from the Commonwealth.

Requests and inquiries concerning reproduction and rights should be addressed to:

Director
 Australian Biological Resources Study (ABRS)
 GPO Box 787
 Canberra ACT 2601
 Australia

Email abrs@environment.gov.au

Disclaimer

The views and opinions expressed in this publication are those of the authors and do not necessarily reflect those of the Australian Government or the Minister for Sustainability, Environment, Water, Population and Communities.

While reasonable efforts have been made to ensure that the contents of this publication are factually correct, the Commonwealth does not accept responsibility for the accuracy or completeness of the contents, and shall not be liable for any loss or damage that may be occasioned directly or indirectly through the use of, or reliance on, the contents of this publication.

PUBLISHER ABRS, Canberra
EDITOR ABRS
LAYOUT 2B Advertising & Design
DESIGN TEMPLATE ABRS

COVER PHOTO Clustered woodlover mushroom
(Hypholoma fasciculare var. armeniacum)
 © F Karstedt

All publications are available online at:

www.bushblitz.org.au

This supplement contains the appendices from the Bush Blitz survey report:

- + Tasmania 2010 including Egg Islands, Flat Rock, Lower Porter Hill and Porter Hill, Murphys Flat, Seventeen Mile Plain and Vale of Belvoir Reserves, Tasmania. ISBN 978 0 642 56867 0

Supplements available:

- + Egg Islands Reserve
- + Flat Rock Reserve
- + Lower Porter Hill and Porter Hill Reserves
- + Murphys Flat Reserve
- + Seventeen Mile Plain Reserve
- + Vale of Belvoir Reserve

What is Bush Blitz?

Bush Blitz is a three-year, multi-million dollar partnership between the Australian Government, BHP Billiton and Earthwatch Australia to document plants and animals in selected properties across Australia's National Reserve System.

This innovative partnership harnesses the expertise of many of Australia's top scientists from museums, herbaria, universities, and other institutions and organisations across the country.





Bush Blitz survey report

Tasmania + March 2010

Seventeen Mile Plain Reserve Supplement



CARING FOR
OUR COUNTRY

