



BUSH BLITZ SPECIES DISCOVERY PROGRAM



# Cloudland Nature Refuge Supplement



CARING FOR  
OUR COUNTRY



# Contents

|                                     |    |
|-------------------------------------|----|
| Appendix A: Species Lists           | 3  |
| Fauna                               | 4  |
| Vertebrates                         | 4  |
| Mammals                             | 4  |
| Birds                               | 4  |
| Frogs and Toads                     | 7  |
| Reptiles                            | 7  |
| Invertebrates                       | 8  |
| Butterflies                         | 8  |
| True Bugs                           | 8  |
| Dragonflies and Damselflies         | 8  |
| Spiders                             | 8  |
| Snails and Slugs                    | 8  |
| Flora                               | 9  |
| Flowering Plants                    | 9  |
| Conifers                            | 14 |
| Ferns                               | 14 |
| Mosses                              | 14 |
| Appendix B: Threatened Species      | 15 |
| Fauna                               | 16 |
| Vertebrates                         | 16 |
| Mammals                             | 16 |
| Birds                               | 16 |
| Frogs and Toads                     | 16 |
| Flora                               | 16 |
| Flowering Plants                    | 16 |
| Conifers                            | 16 |
| Appendix C: Exotic and Pest Species | 17 |
| Fauna                               | 18 |
| Vertebrates                         | 18 |
| Frogs and Toads                     | 18 |
| Invertebrates                       | 18 |
| Snails and Slugs                    | 18 |
| Flora                               | 18 |
| Flowering Plants                    | 18 |

# Key

- ☐ = Previously recorded on the reserve and found on this survey
- \* = New record for this reserve
- ^ = Exotic/Pest
- # = EPBC listed
- ~ = NCA listed

- EPBC = *Environment Protection and Biodiversity Conservation Act 1999* (Commonwealth)
- NCA = *Nature Conservation Act 1992* (Queensland)

Colour coding for entries:

- Black = Previously recorded on the reserve and found on this survey

**Brown** = **Putative new species**

- Blue = Previously recorded on the reserve but not found on this survey





# Appendix A: Species Lists

Nomenclature and taxonomy used in this appendix are consistent with that from the Australian Faunal Directory (AFD), the Australian Plant Name Index (APNI) and the Australian Plant Census (APC).

Current at March 2013



# Fauna

## Vertebrates

| Mammals           |                                        |                               |
|-------------------|----------------------------------------|-------------------------------|
| Family            | Species                                | Common name                   |
| Burramyidae       | <i>Cercartetus caudatus</i>            | Long-tailed Pygmy Possum      |
| Macropodidae      | <i>Dendrolagus lumholtzi</i> ~ *       | Lumholtz's Tree-kangaroo      |
| Ornithorhynchidae | <i>Ornithorhynchus anatinus</i> *      | Platypus                      |
| Peramelidae       | <i>Perameles nasuta</i> *              | Long-nosed Bandicoot          |
| Phalangeridae     | <i>Trichosurus vulpecula</i> *         | Common Brushtail Possum       |
| Pseudocheiridae   | <i>Hemibelideus lemuroides</i> ~ *     | Lemuroid Ringtail Possum      |
|                   | <i>Pseudochirops archeri</i> ~ *       | Green Ringtail Possum         |
|                   | <i>Pseudochirulus herbertensis</i> ~ * | Herbert River Ringtail Possum |

| Birds        |                                      |                           |
|--------------|--------------------------------------|---------------------------|
| Family       | Species                              | Common name               |
| Acanthizidae | <i>Acanthiza katherina</i> *         | Mountain Thornbill        |
|              | <i>Gerygone mouki</i> *              | Brown Gerygone            |
|              | <i>Oreoscopus gutturalis</i> *       | Fernwren                  |
|              | <i>Sericornis citreogularis</i> *    | Yellow-throated Scrubwren |
|              | <i>Sericornis frontalis</i> *        | White-browed Scrubwren    |
|              | <i>Sericornis kerri</i> *            | Atherton Scrubwren        |
| Accipitridae | <i>Accipiter fasciatus</i> *         | Brown Goshawk             |
|              | <i>Accipiter novaehollandiae</i> ~ * | Grey Goshawk              |
|              | <i>Aquila audax</i> *                | Wedge-tailed Eagle        |
|              | <i>Aviceda subcristata</i> *         | Pacific Baza              |
|              | <i>Circus assimilis</i> *            | Spotted Harrier           |
|              | <i>Elanus axillaris</i> *            | Black-shouldered Kite     |
|              | <i>Haliaeetus leucogaster</i> *      | White-bellied Sea-eagle   |
|              | <i>Haliastur sphenurus</i> *         | Whistling Kite            |
| Alcedinidae  | <i>Ceyx pusilla</i> *                | Little Kingfisher         |
|              | <i>Dacelo novaeguineae</i> *         | Laughing Kookaburra       |
|              | <i>Todiramphus sanctus</i> *         | Sacred Kingfisher         |





| Birds         |                                          |                                                                                 |
|---------------|------------------------------------------|---------------------------------------------------------------------------------|
| Family        | Species                                  | Common name                                                                     |
| Apodidae      | <i>Aerodramus terraereginae</i> ~ *      | Australian Swiftlet                                                             |
|               | <i>Apus pacificus</i> *                  | Fork-tailed Swift                                                               |
|               | <i>Hirundapus caudacutus</i> *           | White-throated Needletail                                                       |
| Artamidae     | <i>Strepera graculina</i> *              | Pied Currawong                                                                  |
| Cacatuidae    | <i>Cacatua galerita</i> *                | Sulphur-crested Cockatoo                                                        |
|               | <i>Calyptorhynchus banksii</i> *         | Red-tailed Black Cockatoo                                                       |
| Campephagidae | <i>Coracina lineata</i> *                | Barred Cuckoo-shrike                                                            |
|               | <i>Coracina novaehollandiae</i> *        | Black-faced Cuckoo-shrike                                                       |
|               | <i>Coracina papuensis</i> *              | White-bellied Cuckoo-shrike                                                     |
|               | <i>Coracina tenuirostris</i> *           | Cicadabird                                                                      |
|               | <i>Lalage leucomela</i> *                | Varied Triller                                                                  |
| Caprimulgidae | <i>Eurostopodus argus</i> *              | Spotted Nightjar                                                                |
|               | <i>Eurostopodus mystacalis</i> *         | White-throated Nightjar                                                         |
| Casuariidae   | <i>Casuaris casuaris johnsonii</i> ~ # * | Southern Cassowary (southern population)                                        |
| Cisticolidae  | <i>Cisticola exilis</i> *                | Golden-headed Cisticola                                                         |
| Climacteridae | <i>Cormobates leucophaea</i> *           | White-throated Treecreeper                                                      |
| Columbidae    | <i>Chalcophaps indica</i> *              | Emerald Dove                                                                    |
|               | <i>Columba leucomela</i> *               | White-headed Pigeon                                                             |
|               | <i>Geopelia striata</i> *                | Peaceful Dove                                                                   |
|               | <i>Lopholaimus antarcticus</i> *         | Topknot Pigeon                                                                  |
|               | <i>Macropygia amboinensis</i> *          | Brown Cuckoo-dove                                                               |
|               | <i>Ptilinopus magnificus</i> *           | Wompoo Fruit-dove                                                               |
|               | <i>Ptilinopus regina</i> *               | Rose-crowned Fruit-dove                                                         |
|               | <i>Ptilinopus superbus</i> *             | Superb Fruit-dove                                                               |
| Coraciidae    | <i>Eurystomus orientalis</i> *           | Dollarbird                                                                      |
| Corvidae      | <i>Corvus orru</i> *                     | Torresian Crow                                                                  |
| Cuculidae     | <i>Cacomantis flabelliformis</i> *       | Fan-tailed Cuckoo                                                               |
|               | <i>Chalcites lucidus</i> *               | Shining Bronze-cuckoo                                                           |
|               | <i>Scythrops novaehollandiae</i> *       | Channel-billed Cuckoo                                                           |
| Dicruridae    | <i>Dicrurus bracteatus</i> *             | Spangled Drongo                                                                 |
| Estrildidae   | <i>Lonchura castaneothorax</i> *         | Chestnut-breasted Mannikin, Chestnut-breasted Munia                             |
|               | <i>Neochmia temporalis</i> *             | Red-browed Finch                                                                |
| Maluridae     | <i>Malurus melanocephalus</i> *          | Red-backed Fairy-wren                                                           |
| Megapodiidae  | <i>Alectura lathami</i> *                | Australian Brush-turkey, Scrub Turkey, Wild Turkey, Yellow-wattled Brush Turkey |
|               | <i>Megapodius reinwardt</i> *            | Orange-footed Scrubfowl                                                         |



| Birds             |                                               |                          |
|-------------------|-----------------------------------------------|--------------------------|
| Family            | Species                                       | Common name              |
| Meliphagidae      | <i>Acanthorhynchus tenuirostris</i> *         | Eastern Spinebill        |
|                   | <i>Bolemoreus frenatus</i> *                  | Bridled Honeyeater       |
|                   | <i>Meliphaga lewinii</i> *                    | Lewin's Honeyeater       |
|                   | <i>Philemon citreogularis</i> *               | Little Friarbird         |
|                   | <i>Xanthotis macleayanus</i> *                | Macleay's Honeyeater     |
| Meropidae         | <i>Merops ornatus</i> *                       | Rainbow Bee-eater        |
| Monarchidae       | <i>Arses kaupi</i> *                          | Pied Monarch             |
|                   | <i>Carterornis leucotis</i> *                 | White-eared Monarch      |
|                   | <i>Machaerirhynchus flaviventer</i> *         | Yellow-breasted Boatbill |
|                   | <i>Monarcha melanopsis</i> *                  | Black-faced Monarch      |
|                   | <i>Symposiachrus trivirgatus</i> *            | Spectacled Monarch       |
| Nectariniidae     | <i>Dicaeum hirundinaceum</i> *                | Mistletoebird            |
| Oriolidae         | <i>Sphecotheres vieilloti</i> *               | Australasian Figbird     |
| Orthonychidae     | <i>Orthonyx spaldingii</i> *                  | Chowchilla               |
| Pachycephalidae   | <i>Colluricincla boweri</i> *                 | Bower's Shrike-thrush    |
|                   | <i>Colluricincla megarhyncha</i> *            | Little Shrike-thrush     |
|                   | <i>Pachycephala pectoralis</i> *              | Golden Whistler          |
| Paradisaeidae     | <i>Ptiloris victoriae</i> *                   | Victoria's Riflebird     |
| Petroicidae       | <i>Heteromyias cinereifrons</i> *             | Grey-headed Robin        |
|                   | <i>Microeca flavigaster</i> *                 | Lemon-bellied Flycatcher |
|                   | <i>Tregellasia capito</i> *                   | Pale-yellow Robin        |
| Phasianidae       | <i>Coturnix ypsilophora</i> *                 | Brown Quail              |
| Psittacidae       | <i>Alisterus scapularis</i> *                 | Australian King-parrot   |
|                   | <i>Cyclopsitta diophthalma macleayana</i> ~ * | Macleay's Fig-parrot     |
|                   | <i>Platycercus elegans</i> *                  | Crimson Rosella          |
|                   | <i>Trichoglossus chlorolepidotus</i> *        | Scaly-breasted Lorikeet  |
|                   | <i>Trichoglossus haematodus moluccanus</i> *  | Rainbow Lorikeet         |
| Psophodidae       | <i>Psophodes olivaceus</i> *                  | Eastern Whipbird         |
| Ptilonorhynchidae | <i>Amblyornis newtonianus</i> *               | Golden Bowerbird         |
|                   | <i>Ptilonorhynchus violaceus</i> *            | Satin Bowerbird          |
|                   | <i>Scenopoeetes dentiostriis</i> *            | Tooth-billed Bowerbird   |
| Rallidae          | <i>Gallirallus philippensis</i> *             | Buff-banded Rail         |
| Rhipiduridae      | <i>Rhipidura albiscapa</i> *                  | Grey Fantail             |
|                   | <i>Rhipidura leucophrys</i> *                 | Willie Wagtail           |
|                   | <i>Rhipidura rufifrons</i> *                  | Rufous Fantail           |





| Birds      |                                         |                                  |
|------------|-----------------------------------------|----------------------------------|
| Family     | Species                                 | Common name                      |
| Strigidae  | <i>Ninox novaeseelandiae</i> *          | Southern Boobook                 |
|            | <i>Ninox rufa queenslandica</i> ~ *     | Rufous Owl (southern subspecies) |
| Timaliidae | <i>Zosterops lateralis</i> *            | Silvereye                        |
| Turdidae   | <i>Zoothera lunulata</i> *              | Bassian Thrush                   |
| Tytonidae  | <i>Tyto tenebricosa multipunctata</i> * | Lesser Sooty Owl                 |

| Frogs and Toads |                                  |                      |
|-----------------|----------------------------------|----------------------|
| Family          | Species                          | Common name          |
| Bufonidae       | <i>Rhinella marina</i> ^ *       | Cane Toad            |
| Hylidae         | <i>Litoria jungguy</i> *         | Jungguy Tree Frog    |
|                 | <i>Litoria serrata</i> ~ *       | Green-eyed Tree Frog |
| Microhylidae    | <i>Austrochaperina robusta</i> * | Robust Frog          |

| Reptiles         |                                       |                               |
|------------------|---------------------------------------|-------------------------------|
| Family           | Species                               | Common name                   |
| Boidae           | <i>Morelia kinghorni</i> *            | Australian Scrub Python       |
|                  | <i>Morelia spilota</i> *              | Carpet Python, Diamond Python |
| Carphodactylidae | <i>Saltuarius cornutus</i> *          | Northern Leaf-tailed Gecko    |
| Scincidae        | <i>Gnypetoscincus queenslandiae</i> * | Prickly Forest Skink          |
|                  | <i>Lampropholis coggeri</i> *         | Rainforest Sunskink           |



## Invertebrates

| Butterflies  |                                           |
|--------------|-------------------------------------------|
| Family       | Species                                   |
| Hesperiidae  | <i>Ocybadistes walkeri sothis</i> *       |
|              | <i>Suniana sunias reactivita</i> *        |
| Lycaenidae   | <i>Catochrysops panormus platissa</i> *   |
|              | <i>Euchrysops cnejus cnidus</i> *         |
|              | <i>Famegana alsulus alsulus</i> *         |
|              | <i>Jamides phaseli</i> *                  |
|              | <i>Psychonotis caelius taygetus</i> *     |
|              | <i>Zizina otis labradus</i> *             |
|              | <i>Zizula hylax attenuata</i> *           |
| Nymphalidae  | <i>Hypocysta metirius</i> *               |
|              | <i>Melanitis leda bankia</i> *            |
| Papilionidae | <i>Graphium macleayanum macleayanum</i> * |
| Pieridae     | <i>Eurema laeta sana</i> *                |

| True Bugs       |                                   |
|-----------------|-----------------------------------|
| Family          | Species                           |
| Alydidae        | <i>Leptocoris acuta</i> *         |
| Anthocoridae    | <i>Montandoniola</i> sp. 59 *     |
|                 | <i>Orius</i> sp. 58 *             |
| Geocoridae      | <i>Geocoris provius</i> *         |
| Lygaeidae       | <i>Oncopeltus</i> sp. 62 *        |
| Miridae         | <b>nr Angerianus n. sp. 81</b> *  |
|                 | <b>nr Austromiris n. sp. 95</b> * |
|                 | <b>Dimifacoris n. sp. 92</b> *    |
|                 | <b>nr Morobea n. sp. 94</b> *     |
|                 | <i>Nesidiocoris tenuis</i> *      |
|                 | <b>Orthotylini n. sp. 98</b> *    |
|                 | <b>Orthotylini n. sp. 99</b> *    |
|                 | <b>Orthotylini n. sp. 103</b> *   |
|                 | <b>nr Zanchius n. sp. 89</b> *    |
|                 | <b>nr Zanchius n. sp. 93</b> *    |
|                 | <b>nr Zanchius n. sp. 101</b> *   |
|                 | <b>nr Zanchius n. sp. 102</b> *   |
| Nabidae         | <i>Arbela telomi</i> *            |
| Pachygronthidae | <i>Pachygrontha</i> sp. 77 *      |
| Pentatomidae    | <i>Poecilometis</i> sp. 34 *      |

| True Bugs        |                                      |
|------------------|--------------------------------------|
| Family           | Species                              |
| Pyrrhocoridae    | <i>Dindymus</i> sp. 21 *             |
| Reduviidae       | <i>Emesinae</i> sp. 3 *              |
|                  | <i>Helonotus</i> sp. 5 *             |
| Rhyparochromidae | <i>Antillocorini</i> sp. 72 *        |
|                  | <i>Bedunia</i> sp. 69a *             |
|                  | <i>Lethaeaster</i> sp. 67 *          |
|                  | <i>Narbo</i> sp. 69 *                |
| Tingidae         | <i>Engynoma</i> sp. 51 *             |
|                  | <b>nr Eritingis n. sp. 55</b> *      |
|                  | <i>Stephanitis queenslandensis</i> * |

| Dragonflies and Damselflies |                                     |
|-----------------------------|-------------------------------------|
| Family                      | Species                             |
| Corduliidae                 | <i>Hemicordulia australiae</i> *    |
| Libellulidae                | <i>Diplacodes haematodes</i> *      |
|                             | <i>Neurothemis stigmatizans</i> *   |
|                             | <i>Orthetrum villosiovittatum</i> * |

| Spiders    |                                    |
|------------|------------------------------------|
| Family     | Species                            |
| Idiopidae  | <i>Homogona</i> sp. (pulleinei?) * |
| Nemesiidae | <b>Namea (n. sp. ?)</b> *          |

| Snails and Slugs |                                        |
|------------------|----------------------------------------|
| Family           | Species                                |
| Camaenidae       | <i>Gnarosophia bellendenkerensis</i> * |
|                  | <i>Obsteugenia inflecta</i> *          |
| Charopidae       | <i>Charopidae</i> WT 70 *              |
| Euconulidae      | <i>Turrisitala normalis</i> *          |
| Helicarionidae   | <i>Fastosarion brazieri</i> *          |
|                  | <i>Helicarionidae</i> WT 31 *          |
|                  | <i>Parmacochlea fischeri</i> *         |
| Microcystidae    | <i>Wilhelminaia mathildae</i> *        |
| Pupillidae       | <i>Gastrocopta pediculus</i> *         |
| Subulinidae      | <i>Allopeas clavulinus</i> ^ *         |







# Flora

| Flowering Plants |                                                                     |
|------------------|---------------------------------------------------------------------|
| Family           | Species                                                             |
| Actinidiaceae    | <i>Saurauia andreana</i> *                                          |
| Adoxaceae        | <i>Sambucus australasica</i> *                                      |
| Amaranthaceae    | <i>Deeringia arborescens</i> *                                      |
| Annonaceae       | <i>Desmos goezeanus</i> *                                           |
|                  | <i>Haplostichanthus submontanus</i> subsp. <i>sessiliflorus</i> ~ * |
|                  | <i>Melodorum leichhardtii</i> *                                     |
| Apiaceae         | <i>Centella asiatica</i> *                                          |
| Apocynaceae      | <i>Alstonia scholaris</i> *                                         |
|                  | <i>Alyxia grandis</i> *                                             |
|                  | <i>Alyxia spicata</i> *                                             |
|                  | <i>Marsdenia rostrata</i> *                                         |
|                  | <i>Melodinus australis</i> *                                        |
|                  | <i>Melodinus baccellianus</i> *                                     |
|                  | <i>Neisosperma poweri</i> *                                         |
|                  | <i>Parsonsia langiana</i> *                                         |
|                  | <i>Parsonsia latifolia</i> *                                        |
|                  | <i>Parsonsia straminea</i> *                                        |
| Araceae          | <i>Alocasia brisbanensis</i> *                                      |
|                  | <i>Pothos longipes</i> *                                            |
|                  | <i>Rhaphidophora australasica</i> *                                 |
| Araliaceae       | <i>Cephalalaria cephalobotrys</i> *                                 |
|                  | <i>Hydrocotyle acutiloba</i> *                                      |
|                  | <i>Hydrocotyle miranda</i> *                                        |
|                  | <i>Hydrocotyle pedicellosa</i> *                                    |
|                  | <i>Mackinlaya confusa</i> *                                         |
|                  | <i>Polyscias australiana</i> *                                      |
|                  | <i>Polyscias elegans</i> *                                          |
|                  | <i>Polyscias murrayi</i> *                                          |
| Arecaceae        | <i>Calamus australis</i> *                                          |
|                  | <i>Calamus caryotoides</i> *                                        |
| Aristolochiaceae | <i>Pararistolochia australopithecurus</i> *                         |
|                  | <i>Pararistolochia deltantha</i> *                                  |

| Flowering Plants         |                                                         |
|--------------------------|---------------------------------------------------------|
| Family                   | Species                                                 |
| Asparagaceae             | <i>Cordyline cannifolia</i> *                           |
| Asteraceae               | <i>Ageratum conyzoides</i> subsp. <i>conyzoides</i> ^ * |
|                          | <i>Emilia sonchifolia</i> ^ *                           |
|                          | <i>Senecio bipinnatisectus</i> *                        |
|                          | <i>Sigesbeckia orientalis</i> *                         |
| Atherosperm-<br>-ataceae | <i>Daphnandra repandula</i> *                           |
|                          | <i>Doryphora aromatica</i> *                            |
| Bignoniaceae             | <i>Neosepicaea jucunda</i> *                            |
|                          | <i>Pandorea pandorana</i> *                             |
| Burseraceae              | <i>Canarium australasicum</i> *                         |
|                          | <i>Canarium muelleri</i> *                              |
| Cannabaceae              | <i>Trema tomentosa</i> var. <i>aspera</i> *             |
| Celastraceae             | <i>Perrottetia arborescens</i> *                        |
|                          | <i>Siphonodon membranaceus</i> *                        |
| Clusiaceae               | <i>Calophyllum costatum</i> *                           |
| Commelinaceae            | <i>Pollia crispata</i> *                                |
|                          | <i>Pollia macrophylla</i> *                             |
| Cornaceae                | <i>Alangium villosum</i> subsp. <i>polyosmoides</i> *   |
|                          |                                                         |
| Cucurbitaceae            | <i>Neoachmandra cunninghamii</i> *                      |
|                          | <i>Trichosanthes ovigera</i> *                          |
|                          | <i>Trichosanthes</i> sp. (Mt Lewis B.Gray 167) *        |
| Cunoniaceae              | <i>Caldcluvia australiensis</i> *                       |
|                          | <i>Ceratopetalum succirubrum</i> *                      |
|                          | <i>Davidsonia pruriens</i> *                            |
|                          | <i>Geissois biagiana</i> *                              |
|                          | <i>Gillbeea adenopetala</i> *                           |
|                          | <i>Pullea stutzeri</i> *                                |
|                          |                                                         |
| Cyperaceae               | <i>Cyperus laevis</i> *                                 |
|                          | <i>Gahnia aspera</i> *                                  |
|                          | <i>Gahnia sieberiana</i> *                              |
| Dichapetalaceae          | <i>Dichapetalum papuanum</i> *                          |



| Flowering Plants |                                                                |
|------------------|----------------------------------------------------------------|
| Family           | Species                                                        |
| Dilleniaceae     | <i>Hibbertia scandens</i> *                                    |
|                  | <i>Tetracera nordtiana</i> *                                   |
| Elaeagnaceae     | <i>Elaeagnus triflora</i> *                                    |
| Elaeocarpaceae   | <i>Elaeocarpus foveolatus</i> *                                |
|                  | <i>Elaeocarpus grandis</i> *                                   |
|                  | <i>Elaeocarpus largiflorens</i> subsp. <i>largiflorens</i> *   |
|                  | <i>Elaeocarpus ruminatus</i> *                                 |
|                  | <i>Elaeocarpus sericopetalus</i> *                             |
|                  | <i>Elaeocarpus</i> sp.<br>(Mt Bellenden Ker L.J.Brass 18336) * |
|                  | <i>Sloanea australis</i> subsp. <i>parviflora</i> *            |
|                  | <i>Sloanea langii</i> *                                        |
| Ericaceae        | <i>Acrothamnus spathaceus</i> *                                |
| Erythroxylaceae  | <i>Erythroxylum</i> sp.<br>(Brewer LA B.Hyland 13373) *        |
| Escalloniaceae   | <i>Polyosma alangiacea</i> *                                   |
|                  | <i>Polyosma hirsuta</i> *                                      |
|                  | <i>Polyosma rhytophloia</i> *                                  |
| Euphorbiaceae    | <i>Antidesma erostre</i> *                                     |
|                  | <i>Breynia cernua</i> *                                        |
|                  | <i>Claoxylon tenerifolium</i> subsp. <i>boreale</i> *          |
|                  | <i>Fontainea picrosperma</i> *                                 |
|                  | <i>Glochidion hylandii</i> *                                   |
|                  | <i>Glochidion sessiliflorum</i> var. <i>pedicellatum</i> *     |
|                  | <i>Homalanthus novoguineensis</i> *                            |
|                  | <i>Macaranga inamoena</i> *                                    |
|                  | <i>Mallotus paniculatus</i> *                                  |
| Eupomatiaceae    | <i>Eupomatia barbata</i> *                                     |
|                  | <i>Eupomatia laurina</i> *                                     |
| Fabaceae         | <i>Acacia celsa</i> *                                          |
|                  | <i>Acacia melanoxylon</i> *                                    |
|                  | <i>Archidendron ramiflorum</i> *                               |
|                  | <i>Austrosteenisia stipularis</i> *                            |
|                  | <i>Caesalpinia robusta</i> ~ *                                 |
|                  | <i>Senna septemtrionalis</i> ^ *                               |
| Flagellariaceae  | <i>Flagellaria indica</i> *                                    |
| Gentianaceae     | <i>Fagraea fagraeacea</i> *                                    |

| Flowering Plants |                                                        |
|------------------|--------------------------------------------------------|
| Family           | Species                                                |
| Gesneriaceae     | <i>Cyrtandra baileyi</i> *                             |
| Goodeniaceae     | <i>Scaevola enantophylla</i> *                         |
| Himantandraceae  | <i>Galbulimima baccata</i> *                           |
| Icacinaeae       | <i>Apodytes brachystylis</i> *                         |
|                  | <i>Citronella smythii</i> *                            |
|                  | <i>Irvingbailey australis</i> *                        |
| Juncaceae        | <i>Juncus usitatus</i> *                               |
| Lamiaceae        | <i>Callicarpa longifolia</i> *                         |
|                  | <i>Callicarpa pedunculata</i> *                        |
|                  | <i>Clerodendrum grayi</i> *                            |
|                  | <i>Gmelina fasciculiflora</i> *                        |
|                  | <i>Plectranthus scutellarioides</i> *                  |
|                  | <i>Plectranthus</i> sp. *                              |
| Lauraceae        | <i>Beilschmiedia bancroftii</i> *                      |
|                  | <i>Beilschmiedia brunnea</i> *                         |
|                  | <i>Beilschmiedia collina</i> *                         |
|                  | <i>Beilschmiedia recurva</i> *                         |
|                  | <i>Beilschmiedia tooram</i> *                          |
|                  | <i>Cinnamomum camphora</i> ^ *                         |
|                  | <i>Cryptocarya angulata</i> *                          |
|                  | <i>Cryptocarya corrugata</i> *                         |
|                  | <i>Cryptocarya grandis</i> *                           |
|                  | <i>Cryptocarya leucophylla</i> *                       |
|                  | <i>Cryptocarya mackinnoniana</i> *                     |
|                  | <i>Cryptocarya melanocarpa</i> *                       |
|                  | <i>Cryptocarya murrayi</i> *                           |
|                  | <i>Cryptocarya oblata</i> *                            |
|                  | <i>Endiandra bessaphila</i> *                          |
|                  | <i>Endiandra cowleyana</i> *                           |
|                  | <i>Endiandra leptodendron</i> *                        |
|                  | <i>Endiandra monothyras</i> subsp. <i>monothyras</i> * |
|                  | <i>Endiandra palmerstonii</i> *                        |
|                  | <i>Endiandra sankeyana</i> *                           |
|                  | <i>Endiandra sideroxylon</i> ~ *                       |
|                  | <i>Endiandra wolfei</i> *                              |
|                  | <i>Litsea connorsii</i> *                              |
|                  | <i>Litsea leefeana</i> *                               |
|                  | <i>Neolitsea dealbata</i> *                            |





| Flowering Plants |                                                         |
|------------------|---------------------------------------------------------|
| Family           | Species                                                 |
| Loranthaceae     | <i>Amyema queenslandica</i> *                           |
|                  | <i>Amyema whitei</i> *                                  |
|                  | <i>Amylothea dictyophleba</i> *                         |
| Malvaceae        | <i>Argyrodendron trifoliolatum</i> *                    |
|                  | <i>Commersonia bartramia</i> *                          |
|                  | <i>Franciscodendron laurifolium</i> *                   |
|                  | <i>Urena lobata</i> ^ *                                 |
| Meliaceae        | <i>Aglaia meridionalis</i> *                            |
|                  | <i>Aglaia tomentosa</i> *                               |
|                  | <i>Dysoxylum klanderii</i> *                            |
|                  | <i>Dysoxylum oppositifolium</i> *                       |
|                  | <i>Dysoxylum rufum</i> *                                |
|                  | <i>Synoum glandulosum</i> subsp. <i>paniculosum</i> *   |
| Menispermaceae   | <i>Hypserpa decumbens</i> *                             |
|                  | <i>Legnephora moorei</i> *                              |
| Monimiaceae      | <i>Austromatthaea elegans</i> *                         |
|                  | <i>Hedycarya loxocarya</i> *                            |
|                  | <i>Palmeria hypotephra</i> *                            |
|                  | <i>Palmeria scandens</i> *                              |
|                  | <i>Stegantthera laxiflora</i> subsp. <i>laxiflora</i> * |
|                  | <i>Wilkiea angustifolia</i> *                           |
| Moraceae         | <i>Ficus congesta</i> var. <i>congesta</i> *            |
|                  | <i>Ficus crassipes</i> *                                |
|                  | <i>Ficus destruens</i> *                                |
|                  | <i>Ficus leptoclada</i> *                               |
|                  | <i>Ficus obliqua</i> *                                  |
|                  | <i>Ficus pleurocarpa</i> *                              |
|                  | <i>Ficus septica</i> *                                  |
|                  | <i>Maclura cochinchinensis</i> *                        |
|                  | <i>Streblus pendulinus</i> *                            |
| Myodocarpaceae   | <i>Delarbrea michieana</i> *                            |
| Myristicaceae    | <i>Myristica globosa</i> subsp. <i>muelleri</i> *       |
| Myrtaceae        | <i>Gossia dallachiana</i> *                             |
|                  | <i>Gossia grayi</i> *                                   |
|                  | <i>Gossia myrsinocarpa</i> *                            |
|                  | <i>Gossia shepherdii</i> *                              |

| Flowering Plants |                                                           |
|------------------|-----------------------------------------------------------|
| Family           | Species                                                   |
| Myrtaceae        | <i>Pilidiostigma tetramerum</i> *                         |
|                  | <i>Pilidiostigma tropicum</i> *                           |
|                  | <i>Psidium cattleyanum</i> var. <i>cattleyanum</i> ^ *    |
|                  | <i>Rhodamnia blairiana</i> *                              |
|                  | <i>Rhodamnia sessiliflora</i> *                           |
|                  | <i>Rhodomertus pervagata</i> *                            |
|                  | <i>Syzygium canicortex</i> *                              |
|                  | <i>Syzygium cormiflorum</i> *                             |
|                  | <i>Syzygium cryptophlebium</i> *                          |
|                  | <i>Syzygium endophloium</i> *                             |
|                  | <i>Syzygium johnsonii</i> *                               |
|                  | <i>Syzygium kuranda</i> *                                 |
|                  | <i>Syzygium luehmannii</i> *                              |
|                  | <i>Syzygium papyraceum</i> *                              |
|                  | <i>Syzygium trachyphloium</i> *                           |
|                  | <i>Syzygium unipunctatum</i> *                            |
| Ochnaceae        | <i>Brackenridgea australiana</i> *                        |
| Oleaceae         | <i>Chionanthus axillaris</i> *                            |
| Orchidaceae      | <i>Bulbophyllum</i> sp. *                                 |
|                  | <i>Cymbidium madidum</i> *                                |
|                  | <i>Dendrobium</i> sp. *                                   |
|                  | <i>Dienia montana</i> *                                   |
|                  | <i>Dockrillia</i> sp. *                                   |
|                  | <i>Eria</i> sp. *                                         |
|                  | <i>Sarcochilus</i> sp. *                                  |
| Pandanaaceae     | <i>Freycinetia excelsa</i> *                              |
|                  | <i>Freycinetia scandens</i> *                             |
| Passifloraceae   | <i>Passiflora herbertiana</i> subsp. <i>herbertiana</i> * |
| Pentaphylacaceae | <i>Ternstroemia cherryi</i> *                             |
| Philydraceae     | <i>Helmholtzia acorifolia</i> *                           |
| Piperaceae       | <i>Peperomia enervis</i> *                                |
|                  | <i>Piper hederaceum</i> *                                 |
|                  | <i>Piper macropiper</i> *                                 |
| Pittosporaceae   | <i>Pittosporum rubiginosum</i> *                          |
|                  | <i>Pittosporum trilobum</i> *                             |
| Plantaginaceae   | <i>Veronica plebeia</i> *                                 |



| Flowering Plants |                                                         |
|------------------|---------------------------------------------------------|
| Family           | Species                                                 |
| Poaceae          | <i>Eragrostis</i> sp. *                                 |
|                  | <i>Imperata cylindrica</i> *                            |
|                  | <i>Oplismenus hirtellus</i> *                           |
|                  | <i>Oplismenus mollis</i> *                              |
|                  | <i>Ottochloa gracillima</i> *                           |
|                  | <i>Panicum pygmaeum</i> *                               |
|                  | <i>Paspalidium albobillosum</i> *                       |
|                  | <i>Paspalum mandiocanum</i> ^ *                         |
|                  | <i>Paspalum paniculatum</i> ^ *                         |
| Primulaceae      | <i>Ardisia brevipedata</i> *                            |
|                  | <i>Ardisia crenata</i> ^ *                              |
|                  | <i>Embelia grayi</i> *                                  |
|                  | <i>Maesa dependens</i> *                                |
|                  | <i>Myrsine achradifolia</i> *                           |
|                  | <i>Myrsine subsessilis</i> subsp. <i>cryptostemon</i> * |
| Proteaceae       | <i>Athertonia diversifolia</i> *                        |
|                  | <i>Bleasdalea bleasdalei</i> *                          |
|                  | <i>Cardwellia sublimis</i> *                            |
|                  | <i>Darlingia ferruginea</i> *                           |
|                  | <i>Helicia nortoniana</i> *                             |
|                  | <i>Lomatia fraxinifolia</i> *                           |
|                  | <i>Opisthiolepis heterophylla</i> *                     |
|                  | <i>Stenocarpus reticulatus</i> *                        |
| Putranjivaceae   | <i>Drypetes acuminata</i> *                             |
| Rhamnaceae       | <i>Alphitonia petriei</i> *                             |
|                  | <i>Alphitonia whitei</i> *                              |
| Ripogonaceae     | <i>Ripogonum album</i> *                                |
| Rosaceae         | <i>Prunus turneriana</i> *                              |
|                  | <i>Rubus moluccanus</i> var. <i>moluccanus</i> *        |
|                  | <i>Rubus queenslandicus</i> *                           |
| Rousseaceae      | <i>Abrophyllum ornans</i> *                             |
| Rubiaceae        | <i>Amaracarpus nematopodus</i> *                        |
|                  | <i>Antirhea tenuiflora</i> *                            |
|                  | <i>Atractocarpus hirtus</i> *                           |
|                  | <i>Atractocarpus merikin</i> *                          |
|                  | <i>Bobea myrtoides</i> *                                |
|                  | <i>Gardenia ovularis</i> *                              |
|                  | <i>Gynochthodes oresbia</i> *                           |

| Flowering Plants |                                                                |
|------------------|----------------------------------------------------------------|
| Family           | Species                                                        |
| Rubiaceae        | <i>Ixora oreogena</i> *                                        |
|                  | <i>Morinda jasminoides</i> *                                   |
|                  | <i>Morinda retropila</i> *                                     |
|                  | <i>Pavetta australiensis</i> *                                 |
|                  | <i>Psychotria dallachiana</i> *                                |
|                  | <i>Psychotria</i> sp.<br>(Danbulla S.T.Blake 15262) *          |
|                  | <i>Randia tuberculosa</i> *                                    |
|                  | <i>Tarenna dallachiana</i> subsp. <i>dallachiana</i> *         |
| Rutaceae         | <i>Acronychia acidula</i> *                                    |
|                  | <i>Acronychia crassipetala</i> *                               |
|                  | <i>Acronychia parviflora</i> *                                 |
|                  | <i>Acronychia vestita</i> *                                    |
|                  | <i>Flindersia acuminata</i> *                                  |
|                  | <i>Flindersia bourjotiana</i> *                                |
|                  | <i>Flindersia brayleyana</i> *                                 |
|                  | <i>Flindersia pimenteliana</i> *                               |
|                  | <i>Halfordia kendack</i> *                                     |
|                  | <i>Melicope broadbentiana</i> *                                |
|                  | <i>Melicope jonesii</i> *                                      |
|                  | <i>Melicope vitiflora</i> *                                    |
|                  | <i>Melicope xanthoxyloides</i> *                               |
|                  | <i>Zanthoxylum veneficum</i> *                                 |
| Salicaceae       | <i>Casearia costulata</i> *                                    |
| Santalaceae      | <i>Dendrotrophe varians</i> *                                  |
|                  | <i>Notothixos subaureus</i> *                                  |
| Sapindaceae      | <i>Castanospora alphanthii</i> *                               |
|                  | <i>Cnesmocarpon dasyantha</i> *                                |
|                  | <i>Cupaniopsis dallachyi</i> *                                 |
|                  | <i>Cupaniopsis flagelliformis</i> var. <i>flagelliformis</i> * |
|                  | <i>Guioa acutifolia</i> *                                      |
|                  | <i>Guioa lasioneura</i> *                                      |
|                  | <i>Harpullia frutescens</i> *                                  |
|                  | <i>Harpullia rhyticarpa</i> *                                  |
|                  | <i>Jagera pseudorhus</i> var. <i>integerrima</i> *             |
|                  | <i>Lepiderema largiflorens</i> ~ *                             |
|                  | <i>Mischarytera lautereriana</i> *                             |





| Flowering Plants |                                    |
|------------------|------------------------------------|
| Family           | Species                            |
| Sapindaceae      | <i>Mischocarpus exangulatus</i> *  |
|                  | <i>Mischocarpus grandissimus</i> * |
|                  | <i>Mischocarpus lachnocarpus</i> * |
|                  | <i>Mischocarpus macrocarpus</i> *  |
|                  | <i>Sarcopteryx martyana</i> *      |
|                  | <i>Sarcotoechia lanceolata</i> *   |
|                  | <i>Sarcotoechia protracta</i> *    |
|                  | <i>Synima cordierorum</i> *        |
|                  | <i>Synima macrophylla</i> *        |
|                  | <i>Synima reynoldsiae</i> *        |
|                  | <i>Toechema erythrocarpum</i> *    |
|                  | <i>Toechema monticola</i> *        |
| Sapotaceae       | <i>Planchonella asterocarpon</i> * |
|                  | <i>Pouteria brownlessiana</i> *    |
|                  | <i>Pouteria papyracea</i> *        |
|                  | <i>Vanroyena castanosperma</i> *   |
| Smilacaceae      | <i>Smilax aculeatissima</i> *      |
|                  | <i>Smilax glycyphylla</i> *        |
| Solanaceae       | <i>Solanum macoorai</i> *          |
|                  | <i>Solanum magnifolium</i> *       |
|                  | <i>Solanum mauritianum</i> ^ *     |
|                  | <i>Solanum torvum</i> ^ *          |
|                  | <i>Solanum viridifolium</i> *      |

| Flowering Plants |                                                           |
|------------------|-----------------------------------------------------------|
| Family           | Species                                                   |
| Symplocaceae     | <i>Symplocos cochinchinensis</i> var. <i>gittinsii</i> *  |
|                  | <i>Symplocos cochinchinensis</i> var. <i>glaberrima</i> * |
|                  | <i>Symplocos hayesii</i> *                                |
|                  | <i>Symplocos stawellii</i> var. <i>stawellii</i> *        |
| Thymelaeaceae    | <i>Lethedon setosa</i> *                                  |
|                  | <i>Wikstroemia indica</i> *                               |
| Urticaceae       | <i>Boehmeria nivea</i> *                                  |
|                  | <i>Dendrocide cordata</i> *                               |
|                  | <i>Dendrocide photinophylla</i> *                         |
|                  | <i>Elatostema reticulatum</i> *                           |
|                  | <i>Pipturus argenteus</i> *                               |
| Vitaceae         | <i>Cayratia japonica</i> *                                |
|                  | <i>Cayratia saponaria</i> *                               |
|                  | <i>Cissus hypoglauca</i> *                                |
|                  | <i>Cissus sterculiifolia</i> *                            |
|                  | <i>Cissus vinosa</i> *                                    |
|                  | <i>Tetrastigma nitens</i> *                               |
| Winteraceae      | <i>Bubbia semecarpoides</i> *                             |
|                  | <i>Tasmannia membranea</i> *                              |
| Xanthophyllaceae | <i>Xanthophyllum octandrum</i> *                          |
| Zingiberaceae    | <i>Alpinia arctiflora</i> *                               |
|                  | <i>Alpinia modesta</i> *                                  |
|                  | <i>Pleuranthodium racemigerum</i> *                       |



| Conifers      |                                 |
|---------------|---------------------------------|
| Family        | Species                         |
| Araucariaceae | <i>Agathis microstachya</i> ~ * |
| Podocarpaceae | <i>Sundacarpus amarus</i> *     |

| Ferns            |                                                           |
|------------------|-----------------------------------------------------------|
| Family           | Species                                                   |
| Aspleniaceae     | <i>Asplenium australasicum</i> *                          |
| Blechnaceae      | <i>Blechnum cartilagineum</i> *                           |
|                  | <i>Blechnum patersonii</i> *                              |
|                  | <i>Blechnum patersonii</i> subsp. <i>queenslandicum</i> * |
| Cyatheaceae      | <i>Cyathea cooperi</i> *                                  |
|                  | <i>Cyathea woollsiana</i> *                               |
| Dennstaedtiaceae | <i>Hypolepis glandulifera</i> *                           |
| Dryopteridaceae  | <i>Lastreopsis rufescens</i> *                            |
|                  | <i>Lastreopsis wurunuran</i> *                            |
|                  | <i>Teratophyllum brightiae</i> *                          |
| Hymenophyllaceae | <i>Crepidomanes johnstonense</i> *                        |
|                  | <i>Crepidomanes saxifragoides</i> *                       |
|                  | <i>Crepidomanes</i> sp. *                                 |
| Marattiaceae     | <i>Angiopteris evecta</i> *                               |
|                  | <i>Marattia oreades</i> *                                 |

| Ferns            |                                                     |
|------------------|-----------------------------------------------------|
| Family           | Species                                             |
| Polypodiaceae    | <i>Belvisia mucronata</i> var. <i>mucronata</i> *   |
|                  | <i>Colysis ampla</i> *                              |
|                  | <i>Colysis sayeri</i> *                             |
|                  | <i>Dictymia brownii</i> *                           |
|                  | <i>Drynaria rigidula</i> *                          |
|                  | <i>Goniophlebium subauriculatum</i> *               |
|                  | <i>Platycerium bifurcatum</i> *                     |
|                  | <i>Platycerium hillii</i> *                         |
|                  | <i>Pyrrosia confluens</i> var. <i>dielsii</i> *     |
|                  | <i>Pyrrosia longifolia</i> *                        |
| Pteridaceae      | <i>Pyrrosia rupestris</i> *                         |
|                  | <i>Adiantum hispidulum</i> var. <i>hispidulum</i> * |
|                  | <i>Adiantum silvaticum</i> *                        |
| Tectariaceae     | <i>Arthropteris palisotii</i> *                     |
|                  | <i>Arthropteris submarginalis</i> *                 |
|                  | <i>Arthropteris tenella</i> *                       |
|                  | <i>Tectaria confluens</i> *                         |
| Thelypteridaceae | <i>Christella dentata</i> *                         |
|                  | <i>Pneumatopteris sogerensis</i> *                  |
| Woodsiaceae      | <i>Diplazium queenslandicum</i> *                   |

| Mosses         |                                  |
|----------------|----------------------------------|
| Family         | Species                          |
| Polytrichaceae | <i>Dawsonia polytrichoides</i> * |





## Appendix B: Threatened Species

Nomenclature and taxonomy used in this appendix are consistent with that from the Australian Faunal Directory (AFD), the Australian Plant Name Index (APNI) and the Australian Plant Census (APC).

Current at March 2013



# Fauna

## Vertebrates

| Mammals                              |                               |                       |
|--------------------------------------|-------------------------------|-----------------------|
| Species                              | Common name                   | Status                |
| <i>Dendrolagus lumholtzi</i> *       | Lumholtz's Tree-kangaroo      | NCA — Near Threatened |
| <i>Hemibelideus lemuroides</i> *     | Lemuroid Ringtail Possum      | NCA — Near Threatened |
| <i>Pseudochirops archeri</i> *       | Green Ringtail Possum         | NCA — Near Threatened |
| <i>Pseudochirulus herbertensis</i> * | Herbert River Ringtail Possum | NCA — Near Threatened |

| Birds                                       |                                          |                                     |
|---------------------------------------------|------------------------------------------|-------------------------------------|
| Species                                     | Common name                              | Status                              |
| <i>Accipiter novaehollandiae</i> *          | Grey Goshawk                             | NCA — Near Threatened               |
| <i>Aerodramus terraereginae</i> *           | Australian Swiftlet                      | NCA — Near Threatened               |
| <i>Casuaris casuaris johnsonii</i> *        | Southern Cassowary (southern population) | EPBC — Endangered, NCA — Endangered |
| <i>Cyclopsitta diophthalma macleayana</i> * | Macleay's Fig-parrot                     | NCA — Vulnerable                    |
| <i>Ninox rufa queenslandica</i> *           | Rufous Owl (southern subspecies)         | NCA — Vulnerable                    |

| Frogs and Toads          |                      |                       |
|--------------------------|----------------------|-----------------------|
| Species                  | Common name          | Status                |
| <i>Litoria serrata</i> * | Green-eyed Tree Frog | NCA — Near Threatened |

# Flora

| Flowering Plants                                                  |                       |
|-------------------------------------------------------------------|-----------------------|
| Species                                                           | Status                |
| <i>Caesalpinia robusta</i> *                                      | NCA — Near Threatened |
| <i>Endiandra sideroxylon</i> *                                    | NCA — Near Threatened |
| <i>Haplostichanthus submontanus</i> subsp. <i>sessiliflorus</i> * | NCA — Near Threatened |
| <i>Lepiderema largiflorens</i> *                                  | NCA — Near Threatened |

| Conifers                      |                       |
|-------------------------------|-----------------------|
| Species                       | Status                |
| <i>Agathis microstachya</i> * | NCA — Near Threatened |







## Appendix C: Exotic and Pest Species

Nomenclature and taxonomy used in this appendix are consistent with that from the Australian Faunal Directory (AFD), the Australian Plant Name Index (APNI) and the Australian Plant Census (APC).

Current at March 2013



# Fauna

## Vertebrates

| Frogs and Toads          |             |
|--------------------------|-------------|
| Species                  | Common name |
| <i>Rhinella marina</i> * | Cane Toad   |

## Invertebrates

| Snails and Slugs             |                 |
|------------------------------|-----------------|
| Species                      | Common name     |
| <i>Allopeas clavulinus</i> * | Spiked Awlsnail |

# Flora

| Flowering Plants                                      |                                  |
|-------------------------------------------------------|----------------------------------|
| Species                                               | Common name                      |
| <i>Ageratum conyzoides</i> subsp. <i>conyzoides</i> * | Goatweed                         |
| <i>Ardisia crenata</i> *                              | Spiceberry, Coralberry           |
| <i>Cinnamomum camphora</i> *                          | Camphor Laurel                   |
| <i>Emilia sonchifolia</i> *                           | Emilia                           |
| <i>Paspalum mandiocanum</i> *                         | Broadleaf Paspalum, Warrel Grass |
| <i>Paspalum paniculatum</i> *                         | Russell River Grass              |
| <i>Psidium cattleianum</i> var. <i>cattleianum</i> *  | Cherry Guava                     |
| <i>Senna septemtrionalis</i> *                        | Arsenic Bush                     |
| <i>Solanum mauritianum</i> *                          | Wild Tobacco                     |
| <i>Solanum torvum</i> *                               | Devil's Fig                      |
| <i>Urena lobata</i> *                                 | Urena Weed, Urena Burr           |





© Copyright Commonwealth of Australia, 2013.



*Cloudland Nature Refuge Queensland 2010. A Bush Blitz survey report supplement* is licensed by the Commonwealth of Australia for use under a Creative Commons By Attribution 3.0 Australia licence with the exception of the Coat of Arms of the Commonwealth of Australia, the logo of the agency responsible for publishing the report, content supplied by third parties, and any images depicting people. For licence conditions see: <http://creativecommons.org/licenses/by/3.0/au/>

This report should be attributed as:  
'*Cloudland Nature Refuge Queensland 2010. A Bush Blitz survey report supplement*, Commonwealth of Australia 2013'.

The Commonwealth of Australia has made all reasonable efforts to identify content supplied by third parties using the following formats: '[name of creator] © Copyright, [name of copyright holder]' or '© Copyright, [name of copyright holder]'.

## Disclaimer

The views and opinions expressed in this publication are those of the authors and do not necessarily reflect those of the Australian Government or the Minister for the Environment.

While reasonable efforts have been made to ensure that the contents of this publication are factually correct, the Commonwealth does not accept responsibility for the accuracy or completeness of the contents, and shall not be liable for any loss or damage that may be occasioned directly or indirectly through the use of, or reliance on, the contents of this publication.

|                        |                                                                                  |
|------------------------|----------------------------------------------------------------------------------|
| <b>PUBLISHER</b>       | ABRS, Canberra                                                                   |
| <b>EDITOR</b>          | ABRS                                                                             |
| <b>LAYOUT</b>          | Giraffe Visual Communication Management                                          |
| <b>DESIGN TEMPLATE</b> | ABRS                                                                             |
| <b>COVER PHOTO</b>     | Green Ringtail Possum ( <i>Pseudochirops archeri</i> )<br>© Copyright, S. Zozaya |

## All publications are available online at:

[www.bushblitz.org.au](http://www.bushblitz.org.au)

This supplement contains the appendices from the Bush Blitz Survey Report:

- + Far North Queensland 2010 including Brooklyn Nature Refuge, Cloudland Nature Refuge, Melsonby (Gaaraay) Nature Refuge, Eubenangee Swamp National Park, Hann Tableland National Park, Melsonby (Gaaraay) National Park, Upper Bridge Creek. ISBN 978 0 642 56875 5.

Supplements available:

- + Brooklyn Nature Refuge
- + Cloudland Nature Refuge
- + Melsonby (Gaaraay) Nature Refuge
- + Eubenangee Swamp National Park
- + Hann Tableland National Park
- + Melsonby (Gaaraay) National Park
- + Upper Bridge Creek

## What is Bush Blitz?

Bush Blitz is a three-year, multi-million dollar partnership between the Australian Government, BHP Billiton and Earthwatch Australia to document plants and animals in selected properties across Australia's National Reserve System.

This innovative partnership harnesses the expertise of many of Australia's top scientists from museums, herbaria, universities, and other institutions and organisations across the country.



Bush Blitz survey report

Far North QLD + 2010

Cloudland Nature Refuge Supplement



CARING FOR  
OUR COUNTRY

