



BUSH BLITZ SPECIES DISCOVERY PROGRAM



Kurtonitj Indigenous Protected Area Supplement

Contents

Appendix A: Species Lists	3	Appendix B: Threatened Species	15
Fauna	4	Fauna	16
Vertebrates	4	Vertebrates	16
Mammals	4	Flora	17
Birds	4	Appendix C: Exotic and Pest Species	19
Frogs and Toads	5	Fauna	20
Reptiles	6	Vertebrates	20
Fishes	6	Invertebrates	21
Invertebrates	7	Flora	22
Ants	7		
Butterflies and Moths	7		
Caddisflies	8		
Flies	8		
Beetles and Weevils — Terrestrial	8		
Beetles and Weevils — Aquatic	8		
True Bugs — Terrestrial	9		
True Bugs — Aquatic	9		
Crickets, Grasshoppers and Katydid	9		
Stoneflies	9		
Mayflies	9		
Spiders	10		
Crustacea	10		
Molluscs — Terrestrial	10		
Molluscs — Aquatic	10		
Freshwater Sponges	10		
Microinvertebrates — Aquatic	10		
Flora	11		
Flowering Plants	11		
Liverworts	12		
Filamentous and Micro-algae	13		
Fungi	14		

Key

- * = New record for this reserve
- ^ = Exotic/Pest
- # = EPBC listed
- ~ = FFG listed
- + = DEPI listed

- DEPI = Department of Environment and Primary Industries (Victoria) Threatened Species Advisory Lists
- EPBC = *Environment Protection and Biodiversity Conservation Act 1999* (Commonwealth)
- FFG = *Flora and Fauna Guarantee Act 1988* (Victoria)

Colour coding for entries:

- Black = Previously recorded on the reserve and found on this survey
- Brown** = Putative new species
- Blue = Previously recorded on the reserve but not found on this survey



Appendix A: Species Lists

Nomenclature and taxonomy used in this appendix are consistent with that from the Australian Faunal Directory (AFD), the Australian Plant Name Index (APNI) and the Australian Plant Census (APC).

Current at June 2013



Fauna

Vertebrates

Mammals		
Family	Species	Common name
Canidae	<i>Vulpes vulpes</i> ^ *	Red Fox
Dasyuridae	<i>Dasyurus maculatus</i> # +	Spotted-tailed Quoll
Felidae	<i>Felis catus</i> ^ *	Cat
Leporidae	<i>Oryctolagus cuniculus</i> ^ *	Rabbit
Macropodidae	<i>Macropus fuliginosus</i> *	Western Grey Kangaroo
	<i>Wallabia bicolor</i> *	Swamp Wallaby
Muridae	<i>Mus musculus</i> ^ *	House Mouse
	<i>Rattus fuscipes</i> *	Bush Rat
	<i>Rattus rattus</i> ^ *	Black Rat
Phalangeridae	<i>Trichosurus vulpecula</i> *	Common Brushtail Possum
Phascolarctidae	<i>Phascolarctos cinereus</i> *	Koala
Pseudocheiridae	<i>Pseudocheirus peregrinus</i> *	Common Ringtail Possum

Birds		
Family	Species	Common name
Acanthizidae	<i>Acanthiza lineata</i> *	Striated Thornbill
	<i>Acanthiza pusilla</i> *	Brown Thornbill
	<i>Acanthiza reguloides</i> *	Buff-rumped Thornbill
	<i>Calamanthus fuliginosus</i> *	Striated Fieldwren
Accipitridae	<i>Aquila audax</i> *	Wedge-tailed Eagle
	<i>Haliastur sphenurus</i> *	Whistling Kite
Anatidae	<i>Anas gracilis</i>	Grey Teal
	<i>Anas superciliosa</i>	Pacific Black Duck
	<i>Cygnus atratus</i> *	Black Swan
Ardeidae	<i>Ardea modesta</i>	Eastern Great Egret
	<i>Ardea pacifica</i>	White-necked Heron
	<i>Egretta novaehollandiae</i>	White-faced Heron
Artamidae	<i>Cracticus tibicen</i> *	Australian Magpie
	<i>Strepera graculina</i> *	Pied Currawong





Birds		
Family	Species	Common name
Cacatuidae	<i>Cacatua galerita</i> *	Sulphur-crested Cockatoo
	<i>Callocephalon fimbriatum</i> *	Gang-gang Cockatoo
	<i>Eolophus roseicapillus</i> *	Galah
Cisticolidae	<i>Cisticola exilis</i> *	Golden-headed Cisticola
Climacteridae	<i>Cormobates leucophaea</i> *	White-throated Treecreeper
Falconidae	<i>Falco berigora</i> *	Brown Falcon
Gruidae	<i>Grus rubicunda</i> ~ +	Brolga
Hirundinidae	<i>Hirundo neoxena</i> *	Welcome Swallow
	<i>Petrochelidon nigricans</i> *	Tree Martin
Maluridae	<i>Malurus cyaneus</i> *	Superb Fairywren
Megaluridae	<i>Anthochaera carunculata</i> *	Red Wattlebird
	<i>Lichenostomus chrysops</i> *	Yellow-faced Honeyeater
Nectarinidae	<i>Dicaeum hirundinaceum</i> *	Mistletoebird
Pachycephalidae	<i>Colluricincla harmonica</i> *	Grey Shrike-thrush
	<i>Pachycephala rufiventris</i> *	Rufous Whistler
Phasianidae	<i>Coturnix ypsilophora</i> *	Brown Quail
Podargidae	<i>Podargus strigoides</i> *	Tawny Frogmouth
Psittacidae	<i>Neophema chrysostoma</i> *	Blue-winged Parrot
	<i>Platycercus elegans</i> *	Crimson Rosella
	<i>Platycercus eximius</i> *	Eastern Rosella
	<i>Psephotus haematonotus</i> *	Red-rumped Parrot
Rhipiduridae	<i>Rhipidura albiscapa</i> *	Grey Fantail
Sturnidae	<i>Sturnus vulgaris</i> ^ *	Common Starling
Threskiornithidae	<i>Threskiornis molucca</i>	Australian White Ibis
Timaliidae	<i>Zosterops lateralis</i> *	Silvereye

Frogs and Toads		
Family	Species	Common name
Hylidae	<i>Litoria ewingii</i>	Brown Tree Frog
Myobatrachidae	<i>Crinia signifera</i>	Common Eastern Froglet
	<i>Geocrinia laevis</i>	Smooth Frog
	<i>Limnodynastes dumerilii</i>	Eastern Banjo Frog
	<i>Limnodynastes peronii</i>	Brown-striped Frog
	<i>Limnodynastes tasmaniensis</i>	Spotted Grass Frog
	<i>Pseudophryne semimarmorata</i> +	Southern Toadlet



Reptiles		
Family	Species	Common name
Scincidae	<i>Acritoscincus duperreyi</i> *	Three-lined Skink
	<i>Anepischetosia maccoyi</i>	Highlands Forest-skink
	<i>Eulamprus tympanum</i>	Southern Water-skink
	<i>Lampropholis guichenoti</i>	Pale-flecked Garden Sunskink
	<i>Liopholis whitii</i>	White's Skink
	<i>Pseudemoia entrecasteauxii</i>	Southern Grass Skink
	<i>Tiliqua scincoides</i>	Eastern Blue-tongue

Fishes		
Family	Species	Common name
Galaxiidae	<i>Galaxias maculatus</i> *	Common Galaxias
	<i>Galaxias</i> n. sp. *	Galaxias
	<i>Galaxiella pusilla</i> # ~ + *	Eastern Dwarf Galaxias
Percichthyidae	<i>Gadopsis marmoratus</i>	River Blackfish
	<i>Nannoperca australis</i> *	Southern Pygmy Perch
	<i>Nannoperca obscura</i> # ~ + *	Yarra Pygmy Perch
Pseudaphritidae	<i>Pseudaphritis urvillii</i> *	Congolli





Invertebrates

Ants	
Family	Species
Formicidae	<i>Adlerzia</i> sp. *
	<i>Iridomyrmex</i> sp. *
	<i>Melophorus</i> sp. *
	<i>Monomorium</i> sp. *
	<i>Myrmecia</i> sp. *

Ants	
Family	Species
Formicidae	<i>Paratrechina</i> sp. *
	<i>Pheidole</i> sp. *
	<i>Rhytidoponera</i> sp. *
	<i>Solenopsis</i> sp. *

Butterflies and Moths	
Family	Species
Anthelidae	<i>Anthela nicothoe</i> *
	unid. sp. (<i>Anthela acuta</i> complex) *
Arctiidae	<i>Anestia ombrophanes</i> *
	<i>Castulo doubledayi</i> *
	<i>Chiriphe procrena</i> *
	<i>Halone sejuncta</i> *
	<i>Nyctemera amicus</i> *
	<i>Philenora omophanes</i> *
	<i>Spilosoma glatignyi</i> *
Coleophoridae	<i>Coleophora alcyonipennella</i> *
Crambidae	<i>Hednota grammellus</i> *
	<i>Hednota pedionoma</i> ^ *
	<i>Hygraula nitens</i> *
	<i>Scoparia</i> sp. A *
	<i>Scoparia syntaractica</i> *
Geometridae: Ennominae	<i>Chlenias</i> sp. *
	<i>Ciampa arietaria</i> *
	<i>Dissomorphia australiaria</i> *
Geometridae: Geometrinae	<i>Chlorocoma</i> sp. (Condah) *
	<i>Chlorocoma stereota</i> *
Geometridae: Larentiinae	<i>Microdes squamulata</i> *
Geometridae: Sterrhinae	<i>Idaea halmaea</i> *
	<i>Scopula optivata</i> *
	<i>Scopula rubraria</i> *
Hepialidae	<i>Abantiades latipennis</i> *

Butterflies and Moths	
Family	Species
Lasiocampidae	<i>Pararguda nasuta</i> *
Limacodidae	<i>Doratifera oxleyi</i> ^ *
Lycaenidae	<i>Zizina otis labradus</i> *
Lymantriidae	<i>Acyphas chionitis</i> *
	<i>Acyphas semiochrea</i> *
Noctuidae	<i>Agrotis infusa</i> ^ *
	<i>Agrotis munda</i> ^ *
	<i>Agrotis porphyricollis</i> ^ *
	<i>Agrotis radians</i> ^ *
	<i>Athetis tenuis</i> *
	<i>Cosmodes elegans</i> *
	<i>Helicoverpa punctigera</i> ^ *
	<i>Proteuxoa microspila</i> *
	<i>Proteuxoa spodias</i> *
	<i>Sandava scitisignata</i> *
Nolidae	<i>Nola pothina</i> *
Notodontidae	<i>Trichiocercus sparshalli</i> *
Nymphalidae	<i>Heteronympha merope</i> *
Oecophoridae	<i>Epithymema incomposita</i> *
	<i>Scatochresis episema</i> *
Psychidae	<i>Lepidoscia characota</i> *
Pyalidae	unid. sp. 2
Sphingidae	<i>Agrius convolvuli</i> ^ *
Tortricidae	<i>Epiphyas</i> sp. (postvittana group) ^ *
	<i>Glyphidoptera insignana</i> *
	<i>Heliocosma argyroleuca</i> *



Caddisflies	
Family	Species
Atriplectididae	<i>Atriplectides dubius</i> *
Calamoceratidae	<i>Anisocentropus</i> sp. *
Conoesucidae	<i>Costora delora</i> *
	<i>Lingora</i> sp. AV1 *
Ecnomidae	<i>Ecnomus tillyardi</i> *

Caddisflies	
Family	Species
Hydrobiosidae	<i>Ethochorema hesperium</i> *
Hydropsychidae	<i>Asmicridea</i> sp. AV1 *
Leptoceridae	<i>Notalina spira</i> *
	<i>Triplectides ciuskus</i> *
	<i>Triplectides truncatus</i> *

Flies	
Family	Species
Bibionidae	unid. sp. *
Calliphoridae	unid. sp. *
Cecidomyiidae	unid. sp. *
Chironomidae	<i>Coelopynia</i> sp. *
	<i>Rheotanytarsus</i> sp. *
	<i>Tanytarsus</i> sp. *
	unid. sp. *
	<i>Xenochironomus</i> sp. *
Culicidae	unid. sp. *
Dolichopodidae	unid. sp. *
Empididae	unid. sp. *

Flies	
Family	Species
Ephydriidae	unid. sp. *
Heteromyzidae	unid. sp. *
Lauxaniidae	unid. sp. *
Muscidae	unid. sp. *
Phoridae	unid. sp. *
Psychodidae	unid. sp. *
Sarcophagidae	unid. sp. *
Simuliidae	<i>Simulium ornatipes</i> *
Sphaeroceridae	unid. sp. *
Tachinidae	unid. sp. *
Tipulidae	unid. sp. *

Beetles and Weevils — Terrestrial	
Family	Species
Cantharidae	unid. sp. *
Carabidae	unid. sp. *
Coccinellidae	<i>Orcus australasiae</i> *
	unid. sp. *
Curculionidae	unid. sp. *
Latridiidae	unid. sp. *
Scarabaeidae	unid. sp. *
Scydmaenidae	unid. sp. *
Silphidae	unid. sp. *
Staphylinidae	unid. sp. *

Beetles and Weevils — Aquatic	
Family	Species
Dytiscidae	unid. sp. (larval stage) *
Hydrophilidae	unid. sp. *





True Bugs — Terrestrial	
Family	Species
Acanthosomatidae	<i>Anischys</i> sp. *
Alydidae	<i>Leptocoris</i> sp. *
	<i>Melanacanthus</i> sp.
Anthocoridae	unid. sp. 1 *
Cydnidae	unid. sp. *
Lygaeidae	<i>Nysius vinitor</i> ^ *
Miridae	<i>Coridromius chenopoderis</i> *
	<i>Creontiades dilutus</i> ^ *
	<i>Deraeocoris</i> n. sp. 2 *
	unid sp. (<i>Democoris</i> ?) *
	unid. n. sp. (tribe Phylini) *
	unid. n. sp. 1 (tribe Orthotylini) *
Nabidae	unid. n. sp. 2 (tribe Orthotylini) *
	<i>Nabis kinbergii</i> *
Pachygronthidae	<i>Stenophyella macreta</i> *

True Bugs — Terrestrial	
Family	Species
Pentatomidae	<i>Agonoscelis rutila</i> *
	unid. sp. 1 (subfamily Asopinae)
	unid. sp. 3 (subfamily Pentatominae)
Piesmatidae	<i>Mcateella interioris</i> *
Reduviidae	unid. sp. (subfamily Harpactorinae)
Rhyparochromidae	<i>Brentiscerus australis</i> *
	<i>Plinthisus</i> sp. (<i>bassianus</i> ?) *
	<i>Remaudiereana inornata</i> *
	<i>Udeocoris</i> sp. *
Thaumastocoridae	unid. sp. (tribe Lethaeini)
	<i>Baclozygum bergrothi</i> *
Veliidae	<i>Drepanovelis</i> sp. *

True Bugs — Aquatic	
Family	Species
Corixidae	<i>Agraptocoris</i> sp. *
	<i>Micronecta annae</i> *
Mesoveliidae	<i>Mesovelia hungerfordi</i> *
Notonectidae	<i>Anisops deanei</i> *
	<i>Enithares loria</i> *
Veliidae	<i>Microvelis</i> sp. *

Crickets, Grasshoppers and Katydid	
Family	Species
Acrididae	unid. sp. *
Gryllidae	<i>Bobilla</i> sp. *
Rhaphidophoridae	unid. sp. *

Stoneflies	
Family	Species
Gripopterygidae	<i>Riekoperla williamsi</i> *

Mayflies	
Family	Species
Caenidae	<i>Tasmanocoenis tonnoiri</i> *
	unid. sp. (genus C Species D)
Leptophlebiidae	<i>Atalophlebia albiterminata</i> *
	<i>Nousia</i> sp. *
	<i>Ulmerophlebia</i> sp. AV1 *



Spiders	
Family	Species
[suborder Prostigmata]	unid. sp. *
Araneidae	<i>Araneus bradleyi</i> *
Lycosidae	<i>Tasmanicosa godeffroyi</i> *
	unid. sp. *
	<i>Venatrix funesta</i> *
Zodariidae	unid. sp. *

Crustacea	
Family	Species
Atyidae	<i>Paratya australiensis</i> *
Chiltoniidae	<i>Austrochiltonia</i> sp. *
unid. family (Corophiidae?)	unid. sp. *
Hymenosomatidae	<i>Amarinus lacustris</i> *
	unid. sp. *
Paracalliopiidae	<i>Paracalliope</i> n. sp. *
	<i>Paracalliope vicinus</i> *
Paramelitidae	<i>Austrogammarus</i> n. sp. *
	<i>Austrogammarus</i> sp. *
Parastacidae	<i>Engaeus sericatus</i> + *
	<i>Euastacus bispinosus</i> # ~ + *
Perthiidae	<i>Perthia</i> n. sp. *

Molluscs — Terrestrial	
Family	Species
Charopidae	<i>Elsothera murrayana</i> *
Helicidae	<i>Cantareus aspersa</i> ^ *
	<i>Theba pisana</i> ^ *
Limacidae	<i>Lehmannia</i> sp. (nyctelia?) ^ *
Lymnaeidae	<i>Austropeplea tomentosa</i> *

Molluscs — Aquatic	
Family	Species
Ancylidae	<i>Ferrissia</i> sp. *
Hydrobiidae	<i>Austropyrgus eumekes</i> *
	<i>Austropyrgus vulgaris</i> *
Hyriidae	<i>Velesunio ambiguus</i> *
Planorbidae	<i>Glyptophysa gibbosa</i> *

Freshwater Sponges	
Family	Species
Spongillidae	<i>Ephydatia fluviatilis</i> *

Microinvertebrates — Aquatic	
Family	Species
[class Arachnida]	unid. sp. (mite) *
[order Cyclopoida]	unid. sp. *
[Phylum Nematoda]	Nematoda sp.
Arcellidae	<i>Arcella</i> sp. 1 *
Chironomidae	unid. sp. (larval stage) *
Euchlanidae	<i>Euchlanis</i> sp. 1 *
Flosculariidae	unid. sp. 1 (<i>Floscularia</i> sp?) *
Habrotrichidae	unid. sp. 1 (<i>Habrotricha</i> sp?)
Lecanidae	<i>Lecane</i> sp. 1 *
Lepadellidae	<i>Lepadella</i> sp. 1 *
Spongillidae	unid. sp. (<i>Eunapius fragilis</i> ?) *
Synchaetidae	<i>Polyarthra</i> sp. 1 *





Flora

Flowering Plants		
Family	Species	Common name
Amaranthaceae	<i>Alternanthera denticulata</i>	Lesser Joyweed
Araceae	<i>Landoltia punctata</i>	Dotted Duckweed
	<i>Lemna disperma</i>	Common Duckweed
	<i>Lemna trisulca</i> +	Ivy Duckweed
Asteraceae	<i>Cirsium arvense</i> ^	Creeping Thistle, Perennial Thistle, Canada Thistle, California Thistle
	<i>Euchiton involucratus</i>	Common Cudweed
	<i>Leptinella reptans</i>	Creeping Cotula
	<i>Senecio glomeratus</i>	Purple Fireweed
	<i>Senecio minimus</i>	Shrubby Fireweed
	<i>Senecio pinnatifolius</i>	Variable Groundsel
	<i>Sonchus hydrophilus</i>	Native Sow-thistle
Caprifoliaceae	<i>Dipsacus fullonum</i> ^	Fuller's Teasel, Wild Teasel
Caryophyllaceae	<i>Stellaria angustifolia</i>	Swamp Starwort
Chenopodiaceae	<i>Chenopodium album</i> ^ *	Fat Hen
	<i>Chenopodium glaucum</i>	Glaucous Goosefoot
	<i>Dysphania pumilio</i> *	Clammy Goosefoot
Convolvulaceae	<i>Dichondra repens</i>	Kidney Weed
Cyperaceae	<i>Baumea arthrophylla</i>	Swamp Twig-rush
	<i>Carex appressa</i>	Tall Sedge
	<i>Carex tereticaulis</i>	Lake Omeo Sedge
	<i>Cyperus gunnii</i>	Flecked Flat-sedge
	<i>Eleocharis acuta</i>	Common Spike-rush
	<i>Eleocharis sphacelata</i>	Tall Spike-rush
	<i>Isolepis fluitans</i>	Floating Club-rush
	<i>Isolepis inundata</i>	Swamp Club-rush
Fabaceae	<i>Acacia mearnsii</i>	Black Wattle
	<i>Acacia melanoxylon</i>	Blackwood
Hemerocallidaceae	<i>Dianella callicarpa</i> +	Swamp Flax Lily
Juncaceae	<i>Juncus articulatus</i> ^	Jointed Rush
	<i>Juncus bufonius</i>	Toad Rush
	<i>Juncus pallidus</i>	Pale Rush
	<i>Juncus pauciflorus</i>	Loose Flower Rush
	<i>Juncus procerus</i>	Tall Rush



Flowering Plants		
Family	Species	Common name
Juncaginaceae	<i>Triglochin alcockiae</i>	Alcock's Water-ribbons
Lythraceae	<i>Lythrum hyssopifolia</i>	Lesser Loosestrife
	<i>Lythrum junceum</i> ^	Mediterranean Loosestrife
Myrtaceae	<i>Eucalyptus ovata</i>	Swamp Gum
	<i>Eucalyptus viminalis</i>	Manna Gum
	<i>Eucalyptus viminalis</i> subsp. <i>cygnetensis</i> *	Rough-barked Manna Gum
	<i>Leptospermum lanigerum</i>	Woolly Tea Tree
Onagraceae	<i>Epilobium pallidiflorum</i>	Showy Willow-herb
Poaceae	<i>Amphibromus sinuatus</i> +	Wavy Swamp Wallaby Grass
	<i>Anthoxanthum odoratum</i> ^	Sweet Vernal Grass
	<i>Elymus scaber</i>	Common Wheat Grass
	<i>Glyceria australis</i>	Australian Sweet Grass
	<i>Hemarthria uncinata</i>	Mat Grass
	<i>Lachnagrostis filiformis</i>	Blown Grass
	<i>Microlaena stipoides</i> var. <i>stipoides</i>	Weeping Rice Grass
	<i>Phragmites australis</i>	Common Reed
	<i>Poa ensiformis</i>	Purple-sheathed Tussock Grass
	<i>Poa labillardierei</i> var. <i>labillardierei</i>	Tussock Grass
	<i>Rytidosperma caespitosum</i>	Coast Wallaby Grass
	<i>Rytidosperma geniculatum</i>	Kneed Wallaby Grass
	<i>Rytidosperma racemosum</i>	Wallaby Grass
Portulacaceae	<i>Montia australasica</i>	White Purslane
Rosaceae	<i>Rosa rubiginosa</i> ^	Sweet Briar
Solanaceae	<i>Solanum laciniatum</i>	Kangaroo Apple
Violaceae	<i>Melicytus angustifolius</i>	Tree Violet

Liverworts	
Family	Species
Ricciaceae	<i>Ricciocarpos natans</i> *





Filamentous and Micro-algae	
Family	Species
[class Bacillariophyceae]	small epiphytic diatoms
Astasiaea	<i>Euglena acus</i> *
	<i>Euglena oxyuris</i> *
	<i>Euglena sanguinea</i> *
	<i>Euglena</i> sp. 1 *
Bacillariaceae	<i>Nitzschia palea</i> *
	<i>Nitzschia</i> sp. 1 *
Characiaceae	<i>Ankyra</i> sp. (<i>judayi</i> ?)
Closteriaceae	<i>Closterium gracile</i> *
	<i>Closterium kuetzingii</i> *
	<i>Closterium</i> sp. 1 *
	<i>Closterium</i> sp. 2 *
	<i>Closterium</i> sp. 3 *
Cocconeidaceae	<i>Cocconeis</i> sp. 1 *
Cymbellaceae	<i>Cymbella</i> sp. 1 *
Desmidiaceae	<i>Cosmarium punctulatum</i> *
	<i>Cosmarium</i> sp. 1 *
	<i>Cosmarium</i> sp. 2 *
	<i>Cosmarium</i> sp. 3 *
	<i>Staurodesmus dejectus</i> var. <i>apiculatus</i>
Euglenaceae	<i>Trachelomonas volvocina</i> *
Eunotiaceae	<i>Eunotia bilunaris</i> *
Fragilariaceae	<i>Ulnaria ulna</i> *
Gomphonemataceae	<i>Gomphonema</i> sp. 1 *
Nostocaceae	<i>Anabaena pseudoscillatoria</i> *
	<i>Anabaena</i> sp. 1 *
	<i>Sphaerospermopsis aphanizomenoides</i> *

Filamentous and Micro-algae	
Family	Species
Oedogoniaceae	<i>Bulbochaete</i> sp. 1 *
	<i>Oedogonium</i> sp. 1 *
	<i>Oedogonium undulatum</i> *
Oocistaceae	<i>Ankistrodesmus falcatus</i>
	<i>Ankistrodesmus fusiformis</i>
Oocystaceae	<i>Oocystis</i> sp. 1
Ophiocytaceae	<i>Ophiocytium</i> sp. 1
Oscillatoriaceae	<i>Trichodesmium iwanoffianum</i>
Peridinaceae	<i>Cystodinium</i> sp. 1
Phacaceae	<i>Phacus curvicauda</i>
	<i>Phacus longicauda</i>
	<i>Phacus</i> sp. 1
Pinnulariaceae	<i>Pinnularia</i> sp. 1
Rhopalodiaceae	<i>Rhopalodia gibba</i>
Rivulariaceae	<i>Gloeotrichia pisum</i>
	<i>Gloeotrichia</i> sp. (<i>raciborskii</i> ?)
Scenedesmaceae	<i>Scenedesmus obtusus</i>
	<i>Scenedesmus</i> sp. 1
	<i>Scenedesmus</i> sp. 2
Stephanodiscaceae	<i>Cyclotella</i> sp. 1
unid. order	unid. small flagellates
Volvocaceae	<i>Pandorina morum</i>
Zygnemataceae	<i>Mougeotia</i> sp. 1
	<i>Spirogyra</i> sp. 1



Fungi	
Family	Species
Agaricaceae	<i>Agaricus</i> sp. *
Fomitopsidaceae	<i>Fomitopsis lilacinogilva</i> *
Mycenaceae	<i>Mycena viscidocruenta</i> *
Pluteaceae	<i>Pluteus cervinus</i> *
Russulaceae	<i>Cystangium</i> sp. *
	<i>Gymnomyces wirrabarensis</i> *





Appendix B: Threatened Species

Nomenclature and taxonomy used in this appendix are consistent with that from the Australian Faunal Directory (AFD), the Australian Plant Name Index (APNI) and the Australian Plant Census (APC).

Current at June 2013



Fauna

Vertebrates

Mammals		
Species	Common name	Status
<i>Dasyurus maculatus</i>	Spotted-tailed Quoll	EPBC — Endangered, FFG — Threatened, DEPI — Endangered

Birds		
Species	Common name	Status
<i>Grus rubicunda</i>	Brolga	FFG — Threatened, DEPI — Vulnerable

Frogs and Toads		
Species	Common name	Status
<i>Pseudophryne semimarmorata</i>	Southern Toadlet	DEPI — Vulnerable

Fishes		
Species	Common name	Status
<i>Galaxiella pusilla</i> *	Eastern Dwarf Galaxias	EPBC — Vulnerable, FFG — Threatened, DEPI — Vulnerable
<i>Nannoperca obscura</i> *	Yarra Pygmy Perch	EPBC — Vulnerable, FFG — Threatened, DEPI — Near Threatened

Crustaceans		
Species	Common name	Status
<i>Engaeus sericatus</i> *	Hairy Burrowing Crayfish	DEPI — Vulnerable
<i>Euastacus bispinosus</i> *	Glenelg Spiny Freshwater Crayfish	EPBC — Endangered, FFG — Threatened, DEPI — Endangered





Flora

Flowering Plants		
Species	Common name	Status
<i>Amphibromus sinuatus</i>	Wavy Swamp Wallaby Grass	DEPI — Vulnerable
<i>Dianella callicarpa</i>	Swamp Flax Lily	DEPI — Rare in Victoria
<i>Lemna trisulca</i>	Ivy Duckweed	DEPI — Poorly Known



Notes





Appendix C: Exotic and Pest Species

Nomenclature and taxonomy used in this appendix are consistent with that from the Australian Faunal Directory (AFD), the Australian Plant Name Index (APNI) and the Australian Plant Census (APC).

Current at June 2013



Fauna

Vertebrates

Mammals	
Species	Common name
<i>Felis catus</i> *	Cat
<i>Mus musculus</i> *	House Mouse
<i>Oryctolagus cuniculus</i> *	Rabbit
<i>Rattus rattus</i> *	Black Rat
<i>Vulpes vulpes</i> *	Red Fox

Birds	
Species	Common name
<i>Sturnus vulgaris</i> *	Common Starling





Invertebrates

Butterflies and Moths	
Species	Common name
<i>Agrius convolvuli</i> *	Convolvulus Hawk-moth
<i>Agrotis infusa</i> *	Bogong Moth
<i>Agrotis munda</i> *	Brown Cutworm, Pink Cutworm
<i>Agrotis porphyricollis</i> *	Variable Cutworm
<i>Agrotis radians</i> *	Brown Cutworm
<i>Doratifera oxleyi</i> *	Painted Cup Moth
<i>Epiphyas</i> sp. (<i>postvittana</i> group) *	–
<i>Hednota grammellus</i> *	Pasture Webworm
<i>Hednota pedionoma</i> *	Pasture Webworm
<i>Helicoverpa punctigera</i> *	Native Budworm

True Bugs — Terrestrial	
Species	Common name
<i>Creontiades dilutus</i> *	Green Mirid
<i>Nysius vinitor</i> *	Rutherglen Bug

Molluscs — Terrestrial	
Species	Common name
<i>Cantareus aspersa</i> *	Common Garden Snail
<i>Lehmannia</i> sp. (<i>nyctelia</i> ?) *	Striped Field Slug
<i>Theba pisana</i> *	White Italian Snail



Flora

Flowering Plants	
Species	Common name
<i>Anthoxanthum odoratum</i>	Sweet Vernal Grass
<i>Chenopodium album</i> *	Fat Hen
<i>Cirsium arvense</i>	Creeping Thistle, Perennial Thistle, Canada Thistle, California Thistle
<i>Dipsacus fullonum</i>	Fuller's Teasel, Wild Teasel
<i>Juncus articulatus</i>	Jointed Rush
<i>Lythrum junceum</i>	Mediterranean Loosestrife
<i>Rosa rubiginosa</i>	Sweet Briar





© Copyright Commonwealth of Australia, 2014.



Kurtonitj Indigenous Protected Area Victoria 2011. A Bush Blitz supplement is licensed by the Commonwealth of Australia for use under a Creative Commons By Attribution 3.0 Australia licence with the exception of the Coat of Arms of the Commonwealth of Australia, the logo of the agency responsible for publishing the report, content supplied by third parties, and any images depicting people. For licence conditions see: <http://creativecommons.org/licenses/by/3.0/au/>

This report should be attributed as:
'*Kurtonitj Indigenous Protected Area Victoria 2011. A Bush Blitz supplement*, Commonwealth of Australia 2014'.

The Commonwealth of Australia has made all reasonable efforts to identify content supplied by third parties using the following formats: '© Copyright, [name of copyright holder]'.

Disclaimer

The views and opinions expressed in this publication are those of the authors and do not necessarily reflect those of the Australian Government or the Minister for the Environment.

While reasonable efforts have been made to ensure that the contents of this publication are factually correct, the Commonwealth does not accept responsibility for the accuracy or completeness of the contents, and shall not be liable for any loss or damage that may be occasioned directly or indirectly through the use of, or reliance on, the contents of this publication.

PUBLISHER ABRS, Canberra
EDITOR ABRS
LAYOUT Y's Communication
DESIGN TEMPLATE ABRS

FRONT COVER *Pterolocera* n. sp. (Condah), a putative new species of Anthelid moth found at Lake Condah Mission © Copyright, M. Hewish

All publications are available online at:

www.bushblitz.org.au

This supplement contains the appendices from the Bush Blitz survey report:

- + South Western Victoria 2011
including Kurtonitj, Lake Condah, Tyrendarra
Indigenous Protected Areas. ISBN 978 0 642 56873 1

Supplements available:

- + Kurtonitj Indigenous Protected Area
- + Lake Condah Indigenous Protected Area
including Allambie, Lake Condah, Muldoons and
Vaughans properties
- + Lake Condah Mission
- + Tyrendarra Indigenous Protected Area

What is Bush Blitz?

Bush Blitz is a three-year, multi-million dollar partnership between the Australian Government, BHP Billiton and Earthwatch Australia to document plants and animals in selected properties across Australia's National Reserve System.

This innovative partnership harnesses the expertise of many of Australia's top scientists from museums, herbaria, universities, and other institutions and organisations across the country.



Bush Blitz survey report

South Western Victoria + 2011

Kurtonitj Indigenous Protected Area Supplement



Australian Government



Australian
Biological
Resources
Study