



BUSH BLITZ SPECIES DISCOVERY PROGRAM



Illunie Nature Reserve Supplement



CARING FOR
OUR COUNTRY



Contents

| | |
|---|----|
| Appendix A: Species Lists | 3 |
| Fauna | 4 |
| Vertebrates | 4 |
| Birds | 4 |
| Frogs | 4 |
| Mammals | 5 |
| Reptiles | 5 |
| Invertebrates | 6 |
| Dragonflies | 6 |
| Spiders | 6 |
| Snails | 6 |
| Flora | 7 |
| Ferns and Flowering Plants | 7 |
| Appendix B: Rare and Threatened Species | 9 |
| Appendix C: Exotic and Pest Species | 11 |

Key

- ☒ = Previously recorded on the reserve and found on this survey
- * = New record for this reserve
- ^ = Exotic/Pest
- # = EPBC listed
- ~ = TSC listed

Putative new species

Previously recorded on the reserve but not found on this survey

- EPBC = *Environment Protection and Biodiversity Conservation Act 1999* (Commonwealth)
- TSC = *Threatened Species Conservation Act 1995* (New South Wales)





Appendix A: Species Lists

Nomenclature and taxonomy used in this appendix are consistent with that from the Australian Faunal Directory (AFD), the Australian Plant Name Index (APNI) and the Australian Plant Census (APC).

Current at April 2012



Fauna

Vertebrates

| Birds | | |
|-----------------|-----------------------------------|--------------------------|
| Family | Species | Common name |
| Artamidae | <i>Cracticus nigrogularis</i> * | Pied Butcherbird |
| | <i>Cracticus tibicen</i> * | Australian Magpie |
| Climacteridae | <i>Climacteris affinis</i> * | White-browed Treecreeper |
| Columbidae | <i>Phaps chalcoptera</i> * | Common Bronzewing |
| Corcoracidae | <i>Corcorax melanorhamphos</i> * | White-winged Cough |
| Halcyonidae | <i>Dacelo novaeguineae</i> * | Laughing Kookaburra |
| Meliphagidae | <i>Lichenostomus chrysops</i> * | Yellow-faced Honeyeater |
| Pachycephalidae | <i>Pachycephala rufiventris</i> * | Rufous Whistler |
| Podargidae | <i>Podargus strigoides</i> * | Tawny Frogmouth |
| Psittacidae | <i>Polytelis swainsonii</i> * # ~ | Superb Parrot |
| Strigidae | <i>Ninox novaeseelandiae</i> * | Southern Boobook |

| Frogs | | |
|----------------|-------------------------------------|------------------------------|
| Family | Species | Common name |
| Hylidae | <i>Litoria latopalmata</i> * | Broad-palmed Frog |
| Myobatrachidae | <i>Crinia parinsignifera</i> | Eastern Sign-bearing Froglet |
| | <i>Crinia signifera</i> * | Common Eastern Froglet |
| | <i>Limnodynastes tasmaniensis</i> * | Spotted Grass Frog |
| | <i>Uperoleia laevigata</i> * | Smooth Toadlet |





| Mammals | | |
|------------------|--|-----------------------------------|
| Family | Species | Common name |
| Dasyuridae | <i>Antechinus flavipes</i> * | Yellow-footed Antechinus |
| | <i>Dasyurus maculatus</i> ~ | Spotted-tailed Quoll |
| Macropodidae | <i>Macropus giganteus</i> | Eastern Grey Kangaroo |
| | <i>Wallabia bicolor</i> | Swamp Wallaby |
| Molossidae | <i>Mormopterus</i> "Species 4" (big penis) * | — |
| | <i>Mormopterus loriae ridei</i> * | Little North-eastern Freetail Bat |
| | <i>Tadarida australis</i> * | White-striped Freetail-bat |
| Vespertilionidae | <i>Chalinolobus gouldii</i> * | Gould's Wattled Bat |
| | <i>Chalinolobus morio</i> * | Chocolate Wattled Bat |
| | <i>Nyctophilus geoffroyi</i> * | Lesser Long-eared Bat |
| | <i>Scotorepens balstoni</i> * | Inland Broad-nosed Bat |
| | <i>Vespadelus darlingtoni</i> * | Large Forest Bat |
| | <i>Vespadelus regulus</i> * | Southern Forest Bat |
| | <i>Vespadelus vulturnus</i> * | Little Forest Bat |

| Reptiles | | |
|------------|--------------------------------|------------------------------|
| Family | Species | Common name |
| Gekkonidae | <i>Christinus marmoratus</i> * | Marbled Gecko |
| Scincidae | <i>Ctenotus taeniolatus</i> * | Copper-tailed Skink |
| | <i>Egernia striolata</i> * | Tree Skink |
| | <i>Morethia boulengeri</i> * | South-eastern Morethia Skink |
| Varanidae | <i>Varanus varius</i> * | Lace Monitor |




Invertebrates

| Dragonflies | |
|-----------------|------------------------------------|
| Family | Species |
| Aeshnidae | <i>Hemianax papuensis</i> * |
| Coenagrionidae | <i>Austroagrion watsoni</i> * |
| | <i>Ischnura aurora</i> * |
| | <i>Ischnura heterosticta</i> * |
| | <i>Xanthagrion erythroneurum</i> * |
| Hemicorduliidae | <i>Hemicordulia tau</i> * |
| Lestidae | <i>Austrolestes analis</i> * |
| | <i>Austrolestes leda</i> * |
| Libellulidae | <i>Diplacodes bipunctata</i> * |
| | <i>Orthetrum caledonicum</i> * |

| Spiders | |
|------------|---------------------------------------|
| Family | Species |
| Corinnidae | gen n. 2, n. sp. 2 * |
| | <i>Supunna funerea</i> * |
| | <i>Supunna</i> n. sp. 6 * |
| Lamponidae | <i>Lampona braemar</i> * |
| Lycosidae | <i>Artoria</i> n. sp. 30 * |
| | <i>Artoria</i> n. sp. 31 * |
| | <i>Tasmanicosa</i> n. sp. 26 * |
| | <i>Trochosa</i> n. sp. 28 * |

| Spiders | |
|------------|---------------------------------------|
| Family | Species |
| Miturgidae | <i>Mitzoruga insularis</i> * |
| Nemesiidae | <i>Chenistonia</i> n. sp. 13 * |
| Oonopidae | <i>Myrmopopaea</i> n. sp. 23 |
| Zodariidae | <i>Neostorena</i> n. sp. 18 * |
| Zoridae | <i>Hestimodema</i> n. sp. 29 * |

| Snails | |
|------------|----------------------------------|
| Family | Species |
| Camaenidae | <i>Galadistes molong</i> * |
| Charopidae | <i>Elsothera funerea</i> * |
| Milacidae | <i>Milax gagates</i> * ^ |
| Punctidae | <i>Paralaoma caputspinulae</i> * |





Flora

| Ferns and Flowering Plants | |
|----------------------------|--|
| Family | Species |
| Apiaceae | <i>Daucus glochidiatus</i> * |
| | <i>Hydrocotyle foveolata</i> * |
| | <i>Hydrocotyle laxiflora</i> * |
| Asparagaceae | <i>Arthropodium fimbriatum</i> * |
| | <i>Arthropodium strictum</i> (<i>Dichopogon strictus</i>) * |
| | <i>Lomandra filiformis</i> subsp. <i>coriacea</i> * |
| | <i>Lomandra filiformis</i> |
| | <i>Lomandra multiflora</i> * |
| Asphodelaceae | <i>Bulbine bulbosa</i> * |
| Asteraceae | <i>Brachyscome gracilis</i> |
| | <i>Carduus pycnocephalus</i> * ^ |
| | <i>Chrysocephalum apiculatum</i> * |
| | <i>Cotula australis</i> * |
| | <i>Euchiton gymnocephalus</i> * |
| | <i>Hypochaeris glabra</i> * ^ |
| | <i>Hypochaeris radicata</i> * ^ |
| | <i>Leptorhynchus squamatus</i> |
| | <i>Microseris lanceolata</i> * |
| | <i>Solenogyne dominii</i> |
| | <i>Soliva sessilis</i> * ^ |
| | <i>Stuartina muelleri</i> * |
| | <i>Triptilodiscus pygmaeus</i> |
| | <i>Vittadinia cuneata</i> * |
| | <i>Xerochrysum viscosum</i> * |
| Boraginaceae | <i>Echium plantagineum</i> * ^ |
| | <i>Myosotis discolor</i> * ^ |
| Campanulaceae | <i>Wahlenbergia gracilis</i> * |
| | <i>Wahlenbergia stricta</i> * |
| Caryophyllaceae | <i>Moenchia erecta</i> * ^ |
| | <i>Petrorhagia dubia</i> * ^ |
| | <i>Silene gallica</i> var. <i>gallica</i> * ^ |

| Ferns and Flowering Plants | |
|-----------------------------------|---|
| Family | Species |
| Casuarinaceae | <i>Allocasuarina diminuta</i> |
| | <i>Allocasuarina verticillata</i> * |
| Celastraceae | <i>Stackhousia monogyna</i> * |
| Centrolepidaceae | <i>Centrolepis strigosa</i> * |
| Colchicaceae | <i>Burchardia umbellata</i> |
| Crassulaceae | <i>Crassula decumbens</i> var. <i>decumbens</i> * |
| | <i>Crassula sieberiana</i> * |
| Cupressaceae | <i>Callitris endlicheri</i> |
| Cyperaceae | <i>Carex appressa</i> * |
| | <i>Cyperus gunnii</i> subsp. <i>gunnii</i> * |
| | <i>Schoenus apogon</i> * |
| Dilleniaceae | <i>Hibbertia</i> sp. * |
| Droseraceae | <i>Drosera peltata</i> * |
| Fabaceae | <i>Acacia verniciflua</i> |
| | <i>Dillwynia sericea</i> * |
| | <i>Hardenbergia violacea</i> * |
| | <i>Ornithopus compressus</i> * ^ |
| | <i>Trifolium arvense</i> var. <i>arvense</i> * ^ |
| | <i>Trifolium campestre</i> var. <i>campestre</i> * ^ |
| | <i>Trifolium glomeratum</i> * ^ |
| | <i>Trifolium striatum</i> * ^ |
| <i>Trifolium subterraneum</i> * ^ | |
| Gentianaceae | <i>Cicendia filiformis</i> * ^ |
| Geraniaceae | <i>Erodium botrys</i> * ^ |
| | <i>Geranium molle</i> * ^ |
| | <i>Geranium solanderi</i> var. <i>solanderi</i> * |
| Goodeniaceae | <i>Goodenia hederacea</i> subsp. <i>hederacea</i> * |
| Hemerocallidaceae | <i>Dianella</i> sp. * |
| | <i>Stypandra glauca</i> * |
| | <i>Tricoryne elatior</i> |



| Ferns and Flowering Plants | |
|----------------------------|---|
| Family | Species |
| Hypericaceae | <i>Hypericum gramineum</i> * |
| Iridaceae | <i>Sisyrinchium</i> sp. * ^ |
| Juncaceae | <i>Juncus bufonius</i> * ^ |
| | <i>Juncus capitatus</i> * ^ |
| | <i>Juncus subsecundus</i> * |
| | <i>Luzula</i> cf. <i>densiflora</i> * |
| Lentibulariaceae | <i>Utricularia dichotoma</i> |
| Loranthaceae | <i>Amyema miquelii</i> * |
| Lythraceae | <i>Lythrum hyssopifolia</i> * |
| Myrtaceae | <i>Calytrix tetragona</i> |
| | <i>Eucalyptus dealbata</i> |
| | <i>Eucalyptus macrorhyncha</i> subsp. <i>macrorhyncha</i> * |
| | <i>Kunzea parvifolia</i> |
| | <i>Leptospermum multicaule</i> |
| Orchidaceae | <i>Caladenia cucullata</i> |
| | <i>Microtis arenaria</i> * |
| Orobanchaceae | <i>Parentucellia latifolia</i> * ^ |
| Oxalidaceae | <i>Oxalis radicata</i> * |
| Papaveraceae | <i>Papaver somniferum</i> * ^ |
| Plantaginaceae | <i>Gratiola pumilo</i> * |
| | <i>Linaria pelisseriana</i> * ^ |
| Poaceae | <i>Aira elegantissima</i> * ^ |
| | <i>Amphibromus nervosus</i> * |
| | <i>Austrostipa densiflora</i> * |
| | <i>Austrostipa scabra</i> subsp. <i>falcata</i> * |

| Ferns and Flowering Plants | |
|----------------------------|---|
| Family | Species |
| Poaceae | <i>Avena barbata</i> * ^ |
| | <i>Briza maxima</i> * ^ |
| | <i>Briza minor</i> * ^ |
| | <i>Bromus hordeaceus</i> * ^ |
| | <i>Bromus sterilis</i> * ^ |
| | <i>Elymus scaber</i> * |
| | <i>Lolium rigidum</i> * ^ |
| | <i>Poa sieberiana</i> var. <i>sieberiana</i> * |
| Polygonaceae | <i>Acetosella vulgaris</i> * ^ |
| | <i>Rumex brownii</i> * |
| Primulaceae | <i>Lysimachia arvensis</i> * ^ |
| Proteaceae | <i>Grevillea ramosissima</i> subsp. <i>ramosissima</i> * |
| Pteridaceae | <i>Cheilanthes sieberi</i> * |
| Ranunculaceae | <i>Ranunculus sessiliflorus</i> var. <i>sessiliflorus</i> * |
| Rosaceae | <i>Acaena echinata</i> * |
| | <i>Aphanes australiana</i> * |
| Rubiaceae | <i>Galium divaricatum</i> * ^ |
| | <i>Galium gaudichaudii</i> |
| | <i>Galium gaudichaudii</i> subsp. <i>gaudichaudii</i> * |
| | <i>Opercularia</i> sp. * |
| Sapindaceae | <i>Dodonaea boroniifolia</i> * |
| Stylidiaceae | <i>Stylidium despectum</i> * |





Appendix B: Rare and Threatened Species

Nomenclature and taxonomy
used in this appendix are
consistent with that from the
Australian Faunal Directory (AFD).

Current at April 2012



Fauna


| Species | Common name | Status |
|-------------------------------|----------------------|-------------------------------------|
| <i>Dasyurus maculatus</i> | Spotted-tailed Quoll | TSC — Vulnerable |
| <i>Polytelis swainsonii</i> * | Superb Parrot | EPBC — Vulnerable, TSC — Vulnerable |

EPBC = refers to the *Environment Protection and Biodiversity Conservation Act 1999* (Commonwealth)

TSC = refers to the *Threatened Species Conservation Act 1995* (New South Wales)

* = New record for this reserve

Previously recorded on the reserve but not found on this survey





Appendix C: Exotic and Pest Species

Nomenclature and taxonomy used in this appendix are consistent with that from the Australian Faunal Directory (AFD), the Australian Plant Name Index (APNI) and the Australian Plant Census (APC).

Current at April 2012



Fauna

| Species | Common name |
|------------------------|-----------------|
| <i>Milax gagates</i> * | Greenhouse Slug |

* = New record for this reserve





Flora

| Species | Common name |
|--|---|
| <i>Acetosella vulgaris</i> * | Sorrel, Sheep Sorrel |
| <i>Aira elegantissima</i> * | Delicate Hairgrass |
| <i>Avena barbata</i> * | Bearded Oats |
| <i>Briza maxima</i> * | Quaking Grass, Giant Shivery Grass |
| <i>Briza minor</i> * | Shivery Grass, Small Shivery Grass, Quaking Grass |
| <i>Bromus hordeaceus</i> * | Soft Brome |
| <i>Bromus sterilis</i> * | Sterile Brome |
| <i>Carduus pycnocephalus</i> * | Slender Thistle |
| <i>Cicendia filiformis</i> * | – |
| <i>Echium plantagineum</i> * | Paterson's Curse |
| <i>Erodium botrys</i> * | Long Storksbill |
| <i>Galium divaricatum</i> * | Slender Bedstraw |
| <i>Geranium molle</i> * | Cranesbill Geranium |
| <i>Hypochaeris glabra</i> * | Smooth Catsear |
| <i>Hypochaeris radicata</i> * | Catsear, Flatweed |
| <i>Juncus bufonius</i> * | Toad Rush |
| <i>Juncus capitatus</i> * | Capitate Rush |
| <i>Linaria pelisseriana</i> * | Pelisser's Toadflax |
| <i>Lolium rigidum</i> * | Wimmera Ryegrass |
| <i>Lysimachia arvensis</i> * | Pimpernel |
| <i>Moenchia erecta</i> * | Erect Chickweed |
| <i>Myosotis discolor</i> * | Forget-me-not |
| <i>Ornithopus compressus</i> * | Yellow Serradella |
| <i>Parentucellia latifolia</i> * | Red Bartsia |
| <i>Papaver somniferum</i> * | Opium Poppy |
| <i>Petrorhagia dubia</i> * | Hairy Pink, Velvety Pink |
| <i>Silene gallica</i> var. <i>gallica</i> * | French Catchfly, Small-flower Catchfly |
| <i>Sisyrinchium</i> sp. * | – |
| <i>Soliva sessilis</i> * | Jo-jo, Bindyi, Lawn Burweed |
| <i>Trifolium arvense</i> var. <i>arvense</i> * | Hare's-foot Clover |
| <i>Trifolium campestre</i> var. <i>campestre</i> * | Hop Clover |
| <i>Trifolium glomeratum</i> * | Clustered Clover |
| <i>Trifolium striatum</i> * | Knotted Clover |
| <i>Trifolium subterraneum</i> * | Subterranean Clover |
| <i>Vulpia bromoides</i> * | Squirrel Tail Fescue, Silver Grass |

* = New record for this reserve



Notes





© Commonwealth of Australia 2012

This work is copyright. Apart from any use as permitted under the *Copyright Act 1968*, no part may be reproduced by any process without prior written permission from the Commonwealth.

Requests and inquiries concerning reproduction and rights should be addressed to:

Director
 Australian Biological Resources Study (ABRS)
 GPO Box 787
 Canberra ACT 2601
 Australia

Email abrs@environment.gov.au

Disclaimer

The views and opinions expressed in this publication are those of the authors and do not necessarily reflect those of the Australian Government or the Minister for Sustainability, Environment, Water, Population and Communities.

While reasonable efforts have been made to ensure that the contents of this publication are factually correct, the Commonwealth does not accept responsibility for the accuracy or completeness of the contents, and shall not be liable for any loss or damage that may be occasioned directly or indirectly through the use of, or reliance on, the contents of this publication.

PUBLISHER ABRS, Canberra
EDITOR ABRS
LAYOUT 2B Advertising & Design
DESIGN TEMPLATE ABRS

COVER PHOTO Giant Banjo Frog
 (*Lymnodynastes interioris*)
 © R Catullo

All publications are available online at:

www.bushblitz.org.au

This supplement contains the appendices from the Bush Blitz survey report:

- + Central NSW 2010 including Dananbilla, Illunie and Koorawatha Nature Reserves, NSW. ISBN 978 0 642 56868 7

Supplements available:

- + Dananbilla Nature Reserve
- + Illunie Nature Reserve
- + Koorawatha Nature Reserve

What is Bush Blitz?

Bush Blitz is a three-year, multi-million dollar partnership between the Australian Government, BHP Billiton and Earthwatch Australia to document plants and animals in selected properties across Australia's National Reserve System.

This innovative partnership harnesses the expertise of many of Australia's top scientists from museums, herbaria, universities, and other institutions and organisations across the country.





Bush Blitz survey report

Central NSW + November 2010

Illunie Nature Reserve Supplement



CARING FOR
OUR COUNTRY

